

# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



DATE?  
62.73

1916

LIBRARY

PICTURE


BOOK

# DREER'S Old-fashioned Hardy Plants


Grown and Offered  
by

HENRY A. DREER

714-716 Chestnut St.,  
Philadelphia.



# DREER'S SELECT HARDY PERENNIAL PLANTS



A VIEW IN OUR NURSERY, WHERE WE GROW HARDY PERENNIAL PLANTS BY THE ACRE.

**O**f all the plants that are cultivated for purely ornamental purposes there are none which have made such rapid strides in public favor as the **Old-fashioned Hardy Garden Flowers**, the inhabitants of the perennial garden. Their popularity is not at all surprising when we consider the many varied and pleasant changes which take place throughout the entire growing season in a well-arranged hardy border, in which every week—yes, every day—brings forth something fresh and new to interest and delight even the most critical. Beginning in April, the early-flowering varieties open their flowers often before the snow has entirely disappeared, and continue, with constant changing variety, throughout the summer until late in the fall, when only severe freezing weather will stop such persistent late-blooming kinds as Japanese Anemones, Pompon Chrysanthemums, Gaillardias, Gentians, Tritomas, etc.

Twenty years ago there were very few Hardy Perennial Borders outside of some large establishments where one or more professional gardeners were employed, who were familiar with the beauties of the hardy borders as found in almost every garden on the other side of the Atlantic, and who knew how to plan, and plant, and care for them. But a great change has taken place in this country within the last ten years, and there is now a steady and growing interest in this class of plants, and to-day almost everyone who is fortunate enough to have even a small garden devotes at least a part of it to hardy plants.

This change has, in a measure, been created by the many books on Gardening published in recent years, almost every one of which included a chapter or more on the hardy border, while some of them were devoted exclusively to hardy plants. The *Horticultural Press* has also been a great factor in stimulating interest in hardy plants. Unfortunately, while nearly all of the books and magazine articles give glowing descriptions of the delights of the Hardy Border and describe in detail many of the plants, none, as far as we know, give any drawings or plans showing how such a border should be made, or showing the proper location for the various plants in same. The usual excuse for this omission was that each garden demanded special treatment, and that no plan or set of plans could be used for any great number of places, and while this is in many cases true, we feel sure that the several plans which have been prepared by our own expert, embodying our own ideas, and which are reproduced on page 12 and 13 of this book, will enable many amateurs to undertake the making of a hardy border who have until now been deterred from doing so by not knowing how to go about it.

The plants which we have selected to fill the various sections in the borders illustrated are the kinds that always do well and are most likely to give satisfactory results. Some planters may prefer to make their own selection, and we like to encourage this, as it gives to every border a touch of individuality, and to make this easy we give on pages 2 to 10 and 14 to 20 a complete alphabetical list of the hardy plants we offer this season, together with their color, average height of growth, time of flowering, and whether suited for a sunny or shady location. This list should make it comparatively easy, even for a novice, to make a selection to fill a bed of any size or shape without making a serious blunder.

We strongly recommend that all hardy borders should have a few clumps of spring-flowering bulbs interspersed along the front, including Snowdrops, Scillas, Chionodoxas, Crocus, Narcissus, Cottage Garden Tulips, Spanish Iris, etc., etc. These should be planted from September to November, and will greatly add to the interest of the border during the early spring months. We also suggest the putting of a few clusters of Annuals here and there throughout the border to add color during the hot summer months. For this purpose there is nothing better than Marigolds, Gaillardias, Zinnias, Antirrhinums, etc., etc., a few seeds of which can be sown during May in the spaces where they are wanted to bloom.

## THE MAKING AND CARE OF AN OLD-FASHIONED HARDY BORDER.

Frequent are the discussions and many are the ideas concerning their cultivation and the best method of arranging them in the garden. In arranging hardy flowers one should never forget the ways of Nature, choosing the flowers she uses in the positions she thinks most suitable, while endeavoring to conceal stiffness of arrangement by a careful study of her plans and the judicious use of the beautiful hardy plants at our disposal.

**Situation.**—There is no class of plants which lend themselves to such varied assortment of climatic or soil conditions, but the most effective position for Hardy Perennial plants in general is a good open border, backed by a hedge, a fence or trellis covered with Rambling Roses or any other hardy climbing vines, while some of the taller-growing sorts, such as Hollyhocks, Sunflowers, Rudbeckias, Boltonias, Bocconias, etc., are also very attractive when planted throughout a shrubbery border, their showy flowers forming a bright contrast with the foliage of the shrubs throughout the summer and fall, when few of the latter are in bloom.

**Soil and Planting.**—Cultivation is of the simplest, beginning with any good garden soil as a foundation, which may be enriched with such fertilizers as well-decomposed manure, bone-meal, or sheep manure deeply dug and well pulverized. The best time to plant hardy plants is just when they are emerging into life after their season's rest, when the weather is favorable and the soil in condition, or they may be set out in the autumn. Above all things avoid wet planting. Do not make the common mistake of overcrowding; give each plant sufficient room to allow it to develop to its full size. The nearest approach to a rule which may be followed in planting being to set out plants which grow to a height of 2 feet or less 12 inches apart, and all others space equal to one-half their height when developed. For example, Aquilegias and Gypsophila, which grow 2 feet high, may be planted 12 inches apart, while Delphinium formosum and Japanese Iris, which grow 3 feet high, should be 18 inches apart. Care should also be taken to blend the colors throughout the garden, so as to prevent too many of one shade of color coming together, causing jarring contrasts. The season of flowering of the different types should also be taken into account, and the different plants as evenly dispersed as possible in order to maintain an equality of flowering plants, leaving no portion of the garden bare or flowerless, nor crowding together too many that bloom at the same time.

**Care in Summer.**—During the growing season careful attention should be given if best results are to be obtained. There is nothing so beneficial as frequent stirring up around the plants, and raking the ground into order again; it allows the air to move more freely through the surface of the soil, thereby encouraging growth and keeping the weeds in check. During hot, dry weather, or when it is not convenient to water, a mulch of any loose, light material will be found very beneficial in retaining the moisture and in keeping the soil from baking; short grass, the raking of the lawn after cutting, is excellent material for this purpose. Early in summer many varieties will have made considerable growth, and the supporting of these should be taken up in time. It is hardly possible to stake and tie up a plant so that it will have the same graceful appearance as if grown naturally without their aid; still, supports should be inserted at all tall-growing sorts early in the season while the plants are small. In this way they will lend themselves more naturally to their support than if this work is accomplished after the plants have made considerable growth. Once the plants get broken down or allowed to get "set" it is impossible to tie them up into natural shape again. This phase of summer work in the garden is often considered a matter of small importance, yet the difference between doing same in a slipshod and a workman-like manner is most apparent; and, while fully sympathizing with those who may not be able to

spare the time or who may not have the materials at hand necessary to perform this work in the best possible manner, it cannot be too strongly emphasized that these are two of the most important factors in the successful cultivation of all out-of-door plants. The removal of old flower stems will also materially help the appearance of the plants at all times, many species responding to this treatment with an extra crop of flowers later in the season. All decayed foliage should also be removed, so as to keep the garden neat and tidy at all seasons.

**Winter Care.**—About the middle of November or later, when all the soft growth has been killed by the frost and the plants are thoroughly ripened, the old hard-wooded stems should be removed and burnt up. It will then be found beneficial to cover the plants with a top dressing of loose stable litter, or, if this is not to be had, a covering of leaves—Nature's protection. This covering is best applied when the ground is in a dry condition, and should not be overdone, two or three inches spread over loosely being all that is required. A deeper covering would incite the plants into premature growth in the early spring, with a liability of damage by late frosts; don't be in a hurry to cover the plants; a little frost will do them good. As the extreme cold weather begins to disappear this covering should be removed by degrees, allowing any young growths which the plants may have made to gradually harden off. This process usually occupies only a few days, after which the plants may be fully exposed to the sunshine, and the litter or covering which has protected them during the winter may be raked up and removed.

**Replanting.**—It is all nonsense to suppose that Hardy Perennials once planted require no attention for several years. The truth is, if we wish them to give entire satisfaction, we must each spring see that each variety is treated in the best manner to insure its fullest development during the next flowering season. Many ideas are advanced on the question of how often they ought to be divided and transplanted, but no positive rule can be applied. Some sorts will take two or three years or even longer to get established and develop their fullest beauty after being transplanted, and usually the longer they are allowed to grow without disturbance the better results will be accomplished, while others should be transplanted or reset each season.

Most hardy plants which flower during the spring or early summer months, such as Anthericum, Paeonies, Doronicum, Dielytras, etc., produce their new growth from the crown of close, compact roots, and are better if left undivided and undisturbed for several years, the only care necessary for these being a liberal covering with fresh soil or compost early in spring. The late summer and autumn blooming species are usually of a more vigorous growth. Such sorts as Helianthus, Rudbeckias, Asters, Boltonias, Physostegias, etc., on which the original crowns die out each season and many new side-growths are made, are far better if replanted each season, selecting from three to five of the strongest growths, which, after the ground has been redug and enriched, may be reset in the same position or replanted to another section of the garden. Treated in this manner, they will not only produce flowers of larger size and finer colors, but will keep the stronger and more rampant growing varieties from crowding out their equally interesting but less vigorous neighbors.

Many not thoroughly familiar with this class of plants have an idea that nothing but a large field-grown clump will give satisfactory returns the first season. This, as experience has taught us, is in most instances a mistake. A vigorous plant of proper size will, in nearly every case, give quicker and better returns than the best so-called "field clumps." The majority of the stock offered in this catalogue is pot-grown. This does not mean that the plants have been altogether pot-grown, but that they have been field-grown and dug and potted up during the fall months, and such stock can be planted, even late in the spring, with practically no loss, which, in the case of clumps, is often quite serious. The following letter from the well-known and successful amateur, W. C. Egan, endorses our views on this matter.

EGANDALE, ILL.

**GENTLEMEN**—Your shipment of perennials arrived safely to-day in most excellent order. It certainly is a pleasure, as well as a profit, to receive plants from you. Your system of growing these in pots allows shipment without disturbing the roots, thus insuring uninterrupted growth and no loss in planting.

Respectfully yours,

W. C. EGAN.


(1)

# COMPLETE LIST OF


## Dreer's Old-Fashioned Hardy Plants

WE GIVE on pages 2 to 10 and 14 to 20 a complete list of the Hardy Plants we offer this season, together with the general color effect, average height in inches, time of blooming in the latitude of Philadelphia, whether suited for a sunny, shady or partial shady location and price. For full descriptions kindly refer to our Garden Book or general catalogue, a copy of which we will be pleased to send on application.


	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<b>Acæna (New Zealand Burr)</b>						
<i>Microphylla</i>	or. foliage		trailing			
<b>Acanthus (Bear's Breech)</b>						
<i>Mollis latifolius</i>	or. foliage	36	Aug-Sept	sunny	.25	2.50
<b>Achillea (Milfoil or Yarrow)</b>						
<i>Eupatorium</i>	yellow	48-60	July-Sept	sunny	.15	1.50
<i>Filipendula</i>	yellow	24	July	sunny	.15	1.50
<i>Millefolium roseum</i>	pink	18	June-Sept	sunny	.15	1.50
<i>Ptarmica fl. pl. The Pearl</i>	white	24	July-Aug	sunny	.15	1.50
" " " Boule de Neige	white	24	July-Aug	sunny	.15	1.50
<i>Tomentosa</i>	yellow	12	June	sunny	.15	1.50
<b>Aconitum (Monk's-hood or Helmet Flower)</b>						
<i>Napellus</i>	dark blue	36-42	Aug-Sept	shady	.25	2.50
" <i>bicolor</i>	blue and white	36	Aug-Sept	shady	.25	2.50
<i>Fischeri</i>	pale blue	18	Sept-Oct	shady	.25	2.50
<i>Lycocotonum</i>	pale yellow	36	June-July	shady	.25	2.50
<i>Spark's variety</i>	dark blue	42	June	shady	.25	2.50
<i>Wilsoni</i>	violet-blue	60-72	September	shady	.25	2.50
<b>Adenophora</b>						
<i>Megalantha</i>	porcelain blue	18	June-Oct	sunny	.35	3.50
<i>Potanini</i>	light-blue	18	July-Sept	sunny	.25	2.50
<b>Adonis (Bird's Eye)</b>						
<i>Amurensis</i>	yellow	12	March-April	sunny	.50	5.00
" <i>fl. pl.</i>	yellow	12	March-April	sunny	.50	5.00
<b>Agropodium (Bishop's Weed)</b>						
<i>Podagraria variegata</i>	or. foliage	12		sun or shade	.15	1.50
<b>Aetheopappus</b>						
<i>Pulcherrimus</i>	rose	24-30	July	sunny	.25	2.50
<b>Agrostemma (Rose Campion)</b>						
<i>Coronaria</i>	crimson	30-36	June-July	sunny	.15	1.50
<i>Flos Jovis</i>	deep pink	12	June-July	sunny	.15	1.50
<b>Ajuga (Bugle)</b>						
<i>Reptans rubra</i>	purplish blue	6	May	sun or shade	.15	1.50
<b>Alchemilla (Lady's Mantle)</b>						
<i>Major</i>	or. foliage		trailing			
<b>Alstromeria (Chilian Lily)</b>						
<i>Chilensis</i>	orange	24	July-Sept	partial shade	.15	1.50
<b>Alyssum (Mad-wort)</b>						
<i>Rostratum</i>	yellow	12	June-July	sunny	.25	2.50
<i>Saxatile compactum</i>	yellow	12	May	sunny	.25	2.50
<b>Anchusa (Alkanet or Bugloss)</b>						
<i>Italica, Dropmore variety</i>	blue	36-60	May-July	sunny	.25	2.50
" <i>Opal</i>	blue	36-60	May-July	sunny	.25	2.50
<i>Myosotidiflora</i>	blue	10-12	April-May	sun or shade	.25	2.50
<b>Anemone (Windflower)</b>						
<i>Japonica alba</i>	white	24-36	Sept-Oct	sunny	.15	1.50
" <i>Alice</i>	silvery rose	24-36	Sept-Oct	sunny	.30	3.00
" <i>Geante Blanche</i>	white	36	Sept-Oct	sunny	.30	3.00
" <i>Kriemhilde</i>	rose-pink	24-36	Sept-Oct	sunny	.30	3.00
" <i>Loreley</i>	mauve-pink	24-36	Sept-Oct	sunny	.30	3.00
" <i>rubra</i>	rosy-red	18-24	Sept-Oct	sunny	.15	1.50
" <i>Prince Henry</i>	deep pink	24-36	Sept-Oct	sunny	.15	1.50
" <i>Queen Charlotte</i>	soft pink	30-36	Sept-Oct	sunny	.15	1.50
" <i>rosea superba</i>	silver-rose	24-36	Sept-Oct	sunny	.15	1.50
" <i>Whirlwind</i>	white	24-36	Sept-Oct	sunny	.15	1.50
<i>Hupehensis</i>	mauve-rose	10-12	Aug-Oct	sunny	.25	2.50
<i>Pennsylvanica</i>	white	12-15	June-Aug	sun or shade	.15	1.50
<i>Pulsatilla</i>	violet	9-12	April-May	sunny	.15	1.50
<i>Sylvestris</i>	white	6-10	April-May	sunny	.15	1.50
<b>Anemonopsis</b>						
<i>Macrophylla</i>	violet	18-24	August	partial shade	.50	5.00
<b>Anthemis (Marguerite)</b>						
<i>Tinctoria</i>	yellow	15	June-Oct	sunny	.15	1.50
" <i>Alba</i>	white	15	June-Oct	sunny	.15	1.50
" <i>Pallida</i>	canary yellow	15	June-Oct	sunny	.15	1.50
<b>Anthericum (St. Bruno's Lily)</b>						
<i>Liliastrum giganteum</i>	white	24-30	May			
<b>Aquilegia (Columbine)</b>						
<i>Akitensis</i>	blue and yellow	18-24	May	sunny	.50	5.00
<i>Californica hybrida</i>	various	24-36	May-June	sunny	.15	1.50
<i>Canadensis</i>	red and yellow	12-24	May	sunny	.15	1.50
<i>Chrysanth</i>	yellow	24-36	June	sunny	.15	1.50
" <i>Alba</i>	white	24-36	June	sunny	.15	1.50
<i>Coerulea</i>	blue	24-36	June	sunny	.15	1.50
<i>Flabellata nana alba</i>	white	15	June	sunny	.15	1.50
<i>Helene</i>	blue and white	24	June	sunny	.15	1.50
<i>Truncata</i>	scarlet and yellow	24-30	June	sunny	.15	1.50
<i>Vulgaris</i>	violet-blue	18-24	June	sunny	.15	1.50
<b>Arabis (Rock Cress)</b>						
<i>Alpina</i>	white	6-8	April-May	sunny	.15	1.50
" <i>Flore Plena</i>	white	6-8	April-May	sunny	.25	2.50
<b>Aralia</b>						
<i>Cashmeriana</i>	white	60-72	June	partial shade	.25	2.50
<b>Armeria (Thrift)</b>						
<i>Maritima splendens</i>	pink	9	June-Aug	sunny	.15	1.50
" <i>alba</i>	white	9	June-Aug	sunny	.15	1.50



Anchusa Italica, Dropmore Variety.



Anemone Japonica.




Artemisia Lactiflora.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Artemisia</b>						
<i>Abrotanum</i>	yellowish	24	Aug-Sept	sunny	\$0.15	\$1.50
<i>Lactiflora</i>	creamy-white	42-54	Aug-Sept	sunny	.25	2.50
<i>Pedemontana</i>	yellowish	9	July-Aug	sunny	.15	1.50
<i>Stelleriana</i>	yellow	18	August	sunny	.15	1.50
<b>Asclepias</b> (Butterfly Weed)						
<i>Incarnata rosea</i>	rosy-flesh	36	July-Aug	sunny	.15	1.50
<i>Tuberosa</i>	orange	30	July-Aug	sunny	.15	1.50
<b>Aster</b> (Michaelmas Daisies, or Starworts)						
<i>Acris</i>	violet-blue	15	July-Aug	sunny	.25	2.50
<i>Alpinus</i>	purple	6-10	May-June	sunny	.20	2.00
" <i>albus</i>	white	6-10	May-June	sunny	.20	2.00
" <i>Nixe</i>	violet-blue	10-12	May-June	sunny	.25	2.50
<i>Amellus. Beauty of Ronsdorf</i>	lilac-rose	15	July-Aug	sunny	.25	2.50
" <i>Perry's Favorite</i>	clear-rose	12	July-Aug	sunny	.25	2.50
" <i>Preciosa</i>	violet-blue	12-15	July-Aug	sunny	.25	2.50
<i>Beauty of Colwall</i>	ageratum-blue	36-48	September	sunny	.25	2.50
<i>Boule de Neige</i>	white	24-30	September	sunny	.15	1.50
<i>Curtisii</i>	heliotrope	36	Aug-Sept	sunny	.15	1.50
<i>Double White Japanese</i>	white	24	July-Sept	sunny	.30	3.00
<i>Feltham Blue</i>	aniline-blue	30	Aug-Sept	sunny	.25	2.50
<i>Formosissimus</i>	violet	36	Sept-Oct	sunny	.15	1.50
<i>Grandiflorus</i>	bluish-violet	24-30	Oct-Nov	sunny	.35	3.50
<i>Lævis floribunda</i>	heliotrope	48	Sept-Oct	sunny	.15	1.50
<i>Novæ Angliae</i>	violet-purple	48	Sept-Oct	sunny	.15	1.50
" " <i>Lil Fardell</i>	bright mauve	48	Sept-Oct	sunny	.15	1.50
" " <i>rosea</i>	purplish-mauve	48	Sept-Oct	sunny	.15	1.50
<i>Novi-Belgii Climax</i>	light lavender	60	Aug-Oct	sunny	.50	5.00
" " <i>Saphir</i>	sky-blue	36	Sept-Oct	sunny	.15	1.50
" " <i>St. Egwin</i>	bright pink	30-36	Sept-Oct	sunny	.25	2.50
<i>Peggy Ballard</i>	lavender-blue	48	Sept-Oct	sunny	.15	1.50
<i>Ptarmicoides</i>	white	15	July-Aug	sunny	.25	2.50
<i>Schoen Rottout</i>	rosy-white	48	Sept-Oct	sunny	.15	1.50
<i>Snowflake</i>	white	18	Sept-Oct	sunny	.15	1.50
<i>Sub-coruleus</i>	bluish-violet	12	June-July	sunny	.20	2.00
<i>Tataricus</i>	bluish-violet	72	October	sunny	.15	1.50
<i>Thompsoni</i>	Venetian-blue	15-18	July-Aug	sunny	.25	2.50
<b>Astilbe</b>						
<i>Arendsi Ceres</i>	light rose	30-42	June-July	half shade	.35	3.50
" <i>Pink Pearl</i>	silvery-pink	30-42	June-July	half shade	.35	3.50
" <i>Salmon Queen</i>	salmon-pink	30-42	June-July	half shade	.35	3.50
" <i>Venus</i>	deep rose	30-42	June-July	half shade	.35	3.50
" <i>Vesta</i>	lilac-rose	30-42	June-July	half shade	.35	3.50
" <i>mixed seedlings</i>	various	30-42	June-July	half shade	.30	3.00
<i>Davidii</i>	rose-violet	60-72	June-July	half shade	.25	2.50
<i>Grandis</i>	white	60-72	June-July	half shade	.25	2.50
<i>Hybrida Gruno</i>	salmon-pink	48	June-July	half shade	.50	5.00
" <i>Moerheimi</i>	creamy white	60-72	June-July	half shade	.75	7.50
" <i>Salland</i>	red	72	June-July	half shade	.50	5.00
<i>Simplicifolia</i>	white	4-5	July	half shade	.50	5.00
<b>Astrantia</b> (Master-wort)						
<i>Major</i>	pinkish	15-18	June	sunny	.25	2.50
<b>Aubretia</b> (False Wall Cress)						
<i>Leichtlini</i>	crimson	4	April-May	sunny	.15	1.50



Boltonia.



Campanula Medium (Canterbury Bells).




Caryopteris.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Doz.
<b>Baptisia</b> (False Indigo)						
<i>Australis</i>	dark blue	24	June	sunny	\$.15	\$1.50
<i>Tinctoria</i>	yellow	24-30	June	sunny	.15	1.50
<b>Bellis</b> (English Daisy)						
<i>Perennis</i> , fl. pl.	white and pink	4	April-May	sunny	.10	.75
<b>Bletia</b>						
<i>Hyacinthina</i>	rosy-pink	12	May-June	shady	.30	3.00
<b>Bocconia</b> (Plume Poppy, or Tree Celandine)						
<i>Cordata</i>	creamy-white	72-96	July-Aug	sunny	.15	1.50
<b>Boltonia</b> (False Chamomile)						
<i>Asteroides</i>	white	60-84	August	sunny	.15	1.50
<i>Latisquama</i>	pink	48-72	Aug-Sept	sunny	.15	1.50
" <i>nana</i>	pink	24	Aug-Sept	sunny	.15	1.50
<b>Calimeris</b> (Starwort)						
<i>Incisa</i>	pale lavender	12-18	July-Sept	sunny	.25	2.50
<b>Callirhoe</b> (Poppy Mallow)						
<i>Involucrata</i>	rosy-crimson	6	June-Oct	sunny	.15	1.50
<b>Caltha</b> (Marsh Marigold)						
<i>Palustris</i>	yellow	12-15	May-June	sunny	.15	1.50
" fl. pl.	yellow	12-15	May-June	sunny	.25	2.50
" <i>semi-plena</i>	yellow	12-15	May-June	sunny	.35	3.50
<b>Campanula</b> (Bellflowers)						
<i>Carpatica</i>	blue	8	June-Oct	sunny	.15	1.50
" <i>alba</i>	white	8	June-Oct	sunny	.15	1.50
" <i>Superba</i>	violet-blue	18	June-Aug	sunny	.15	1.50
<i>Grandis</i>	violet-blue	18-24	June-Aug	sunny	.25	2.50
<i>Grosseki</i>	dark blue	18	May-June	sunny	.25	2.50
<i>Lactiflora alba magnifica</i>	white	24	June-Oct	sunny	.15	1.50
" <i>Coerulea</i>	pale blue	30	July-Aug	sunny	.50	5.00
<i>Latifolia macrantha</i>	purple-blue	36	May-June	sunny	.15	1.50
<i>Medium</i>	blue	36	May-June	sunny	.15	1.50
"	white	36	May-June	sunny	.15	1.50
"	rose	36	May-June	sunny	.15	1.50
<i>Persicifolia</i>	blue	24	June-July	sunny	.15	1.50
" <i>alba</i>	white	24	June-July	sunny	.15	1.50
" <i>gigantea Moerheimi</i>	white	24-30	June-July	sunny	.25	2.50
<i>Punctata</i>	white, spotted rose	12	May-June	sunny	.15	1.50
<i>Pyramidalis</i>	blue	48-72	August	sunny	.25	2.50
<i>Rotundifolia</i>	blue	10-12	June-Aug	sunny	.15	1.50
<i>Trachelium</i>	purple	36	June-July	sunny	.15	1.50
<b>Caryopteris</b> (Blue Spiraea)						
<i>Mastacanthus</i>	light blue	30-36	Sept-Oct	sunny	.15	1.50
<b>Cassia</b> (American Senna)						
<i>Marilandica</i>	yellow	36-48	July-Aug	sunny	.15	1.50
<b>Centaurea</b> (Hardheads, or Knapweed)						
<i>Hirta nigra variegata</i>	purple	18-24	July-Aug	sunny	.15	1.50
<i>Dealbata</i>	bright rose	18	July-Sept	sunny	.15	1.50
<i>Macrocephala</i>	yellow	36-42	July-Aug	sunny	.15	1.50
<i>Montana</i>	violet-blue	24	July-Sept	sunny	.15	1.50
" <i>alba</i>	white	24	July-Sept	sunny	.15	1.50
<b>Cephalaria</b> (Roundheads)						
<i>Alpina</i>	sulphur	72	June-July	sunny	.25	2.50
<b>Cerastium</b> (Snow in Summer)						
<i>Tomentosum</i>	white	6	June	sunny	.15	1.50



Chelone.




Pompon Chrysanthemums.




Cimicifuga Simplex.


	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Chamælirium</b>						
<i>Luteum</i> .....	creamy-yellow	6-24	June-July	shady	\$0.25	\$2.50
<b>Chelone</b> (Shell Flower)						
<i>Glabra alba</i> .....	creamy-white	18-24	July-Sept	sunny	.25	2.50
<i>Lyoni</i> .....	rosy-red	18-24	July-Sept	sunny	.25	2.50
<b>Chrysanthemum</b>						
<i>Arcticum</i> .....	white	15	Sept-Oct	sunny	.15	1.50
<i>Leucanthemum flore pleno</i> .....	white	15	June-July	sunny	.50	5.00
<i>Nipponicum</i> .....	white	24	Sept-Oct	sunny	.15	1.50
<i>Shasta Daisy Alaska</i> .....	white	24	June-Oct	sunny	.25	2.50
" " " Mixed Seedlings	white	24	June-Oct	sunny	.15	1.50
<b>Large-flowering Autumn Glow</b>						
" " " Indian	crimson	24	Oct-Nov	sunny	.15	1.50
" " " Golden Queen	red	24	Oct-Nov	sunny	.15	1.50
" " " Old Homestead	yellow	24	Oct-Nov	sunny	.15	1.50
" " " Victory	pink	24	Oct-Nov	sunny	.15	1.50
" " " White	white	18	Oct-Nov	sunny	.15	1.50
<b>Pompon</b> Celco .....	orange-yellow	24	Oct-Nov	sunny	.10	1.00
" Golden Climax .....	golden-yellow	24	Oct-Nov	sunny	.10	1.00
" Globe d'Or .....	lemon-yellow	15	Oct-Nov	sunny	.10	1.00
" Iva .....	Bronze	24	Oct-Nov	sunny	.10	1.00
" Julia Lagravere .....	garnet	24	Oct-Nov	sunny	.10	1.00
" Klondike .....	yellow	24	Oct-Nov	sunny	.10	1.00
" Lyndhurst .....	deep red	24	Oct-Nov	sunny	.10	1.00
" Maid of Kent .....	rosy-white	24	Oct-Nov	sunny	.10	1.00
" Minta .....	delicate pink	18	Oct-Nov	sunny	.10	1.00
" Model of Perfection .....	white	24	Oct-Nov	sunny	.10	1.00
" Mrs. Porter .....	bronze	24	Oct-Nov	sunny	.10	1.00
" Nio .....	shell-pink	24	Oct-Nov	sunny	.10	1.00
" President .....	purple-crimson	24	Oct-Nov	sunny	.10	1.00
" Rufus .....	crimson-maroon	24	Oct-Nov	sunny	.10	1.00
" Sir Michael .....	lemon	24	Oct-Nov	sunny	.10	1.00
" Skibo .....	bronzy-yellow	24	Oct-Nov	sunny	.10	1.00
" Sœur Melanie .....	white	24	Oct-Nov	sunny	.10	1.00
" St. Iloria .....	silvery-rose	24	Oct-Nov	sunny	.10	1.00
" Sunshine .....	yellow	24	Oct-Nov	sunny	.10	1.00
" The Hub .....	white	24	Oct-Nov	sunny	.10	1.00
" Victor .....	rosy-crimson	18	Oct-Nov	sunny	.10	1.00
" Waco .....	white	24	Oct-Nov	sunny	.10	1.00
" Zenobia .....	yellow	24	Oct-Nov	sunny	.10	1.00
<b>Cimicifuga</b> (Snake-Root)						
<i>Acerina</i> , or <i>Japonica</i> .....	white	30	Aug-Sept	partial shade	.25	2.50
<i>Dahurica</i> .....	creamy-white	42	September	partial shade	.25	2.50
<i>Racemosa</i> .....	white	48-72	July-Aug	partial shade	.25	2.50
<i>Simplex</i> .....	white	30-36	Sept-Oct	partial shade	.50	5.00
<b>Claytonia</b> (Spring Beauty)						
<i>Virginica</i> .....	light pink	3	March-April	shade	.15	1.50
<b>Clematis</b>						
<i>Davidiana</i> .....	light blue	24-30	Aug-Sept	sunny	.15	1.50
<i>Heracleefolia</i> .....	pale blue	30	Aug-Sept	sunny	.25	2.50
<i>Recta</i> .....	white	24-36	June-July	sunny	.25	2.50
<i>Recta</i> f. pl. .....	white	24-36	June-July	sunny	.50	5.00
<b>Convallaria</b> (Lily of the Valley)						
<i>Majalis</i> .....	white	6	May	sun or shade	.25	2.50
<b>Coreopsis</b>						
<i>Lanceolata grandiflora</i> .....	yellow	24-36	June-Sept	sunny	.15	1.50
<i>Rosea</i> .....	pale pink	12	Aug-Sept	sunny	.15	1.50
<i>Verticillata</i> .....	yellow	24	July-Aug	sunny	.15	1.50
<b>Coronilla</b> (Crown Vetch)						
<i>Varia</i> .....	pink and white	12-18	June-Aug	sunny	.15	1.50



Coreopsis Lanceolata Grandiflora.



Delphinium.



Digitalis.

## Delphinium (Hardy Larkspur)

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
Amos Perry	rosy-mauve	36-48	June-Sept	sunny	\$0.35	\$3.50
Belladonna	turquoise-blue	36-48	June-Sept	sunny	.25	2.50
Carmen	gentian-blue'	36-48	June-Sept	sunny	.40	4.00
Chinense	gentian-blue	24-30	June-Sept	sunny	.15	1.50
" album	white	24-30	June-Sept	sunny	.15	1.50
Formosum	dark blue	36-48	June-Sept	sunny	.15	1.50
Gold Medal hybrids	all colors	36-60	June-Sept	sunny	.15	1.50
Julia	cornflower-blue	36-60	June-Sept	sunny	.35	3.50
King of Delphiniums	deep blue	48-60	June-Sept	sunny	.60	6.00
Lamartine	gentian-blue	36-48	June-Sept	sunny	.30	3.00
Lizzie	azure-blue	36-48	June-Sept	sunny	.35	3.50
Mme. Violet Geslin	clear blue	48-60	June-Sept	sunny	.50	5.00
Moerheimi	pure white	36-48	June-Sept	sunny	.30	3.00
Mrs. Creighton	oxford blue	36-48	June-Sept	sunny	.30	3.00
Mrs. Thompson	deep blue	36-48	June-Sept	sunny	.30	3.00
Persimmon	sky-blue	36-48	June-Sept	sunny	.35	3.50
Queen Wilhelmina	lavender-blue	36-48	June-Sept	sunny	.35	3.50
Rev. E. Lascelles	deep blue	48-60	June-Sept	sunny	1.00	10.00

## Dianthus (Pinks, Sweet William)

Barbatus Newport Pink	watermelon-pink	18	June	sunny	.10	1.00
" Scarlet	deep scarlet	18	June	sunny	.10	1.00
" White	white	18	June	sunny	.10	1.00
" mixed	all colors	18	June	sunny	.10	1.00
Deltoides	pink	6-9	June-July	sunny	.15	1.50
" Alba	white	6-9	June-July	sunny	.15	1.50
Latifolius atrocoeruleus fl. pl.	crimson	10-12	June-Sept	sunny	.15	1.50
Neglectus	pink	9	May-June	sunny	.15	1.50
Plumarius Delicata	rose	12	May-June	sunny	.25	2.50
" Elsie	rose and maroon	12	May-June	sunny	.15	1.50
" Gloriosa	lilac-mauve	12	May-June	sunny	.25	2.50
" Her Majesty	white	12	May-June	sunny	.15	1.50
" Homer	rosy-red	12	May-June	sunny	.15	1.50
" James Douglas	white and crimson	12	May-June	sunny	.15	1.50
" Juliette	white and crimson	12	May-June	sunny	.15	1.50
" Snow	white	12	May-June	sunny	.15	1.50
" Souv. de Salle	rosy-red	12	May-June	sunny	.15	1.50
" White Reserve	white	12	June-Oct	sunny	.15	1.50
" mixed seedlings	all colors	12	May-June	sunny	.10	1.00

## Dictamnus (Gas Plant)

Fraxinella	rosy-pink	24-30	June-July	sunny	.15	1.50
" alba	white	24-30	June-July	sunny	.15	1.50
" Caucasicus	rosy-pink	24-30	June-July	sunny	.25	2.50

## Dicyttra (Bleeding Heart, or Seal Flower)

Spectabilis	pink	24	May	sun or shade	.15	1.50
Formosa	pink	12-15	May-Aug	sunny	.15	1.50

## Digitalis (Foxglove)

Ambigua, or grandiflora	pale yellow	24-36	June-July	sun or partial shade	.15	1.50
Gloxiniaeflora	various	48-72	June-July	sun or partial shade	.15	1.50
Lanata	chocolate and white	24-36	July-Aug	sun or partial shade	.15	1.50

## Doronicum (Leopard's Bane)

Caucasicum	yellow	12	May	sunny	.25	2.50
Clusii	yellow	18-24	May	sunny	.25	2.50
Excelsum	yellow	24-36	May	sunny	.25	2.50

## Draba (Whitlow Grass)

Androsacea	white	trailing	May	sunny	.25	2.50
------------	-------	----------	-----	-------	-----	------

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Echinops</b> (Globe Thistle)						
<i>Ritro</i>	metallic-blue	24-36	July-Sept	sunny	\$0.25	\$2.50
<i>Sphaerocephalus</i>	bluish-white	36-42	July-Sept	sunny	.25	2.50
<b>Eomecon</b> (Eastern Poppy)						
<i>Chionantha</i>	white	24	July-Aug	sunny	.25	2.50
<b>Epimedium</b> (Barrenwort, Bishop's Hat)						
<i>Alpinum</i>	crimson and yellow	8-10	May	partial shade	.25	2.50
<i>Muschianum</i>	rosy-red	8-10	May	partial shade	.25	2.50
<i>Niveum</i>	white	6-8	May	partial shade	.25	2.50
<i>Sulphureum</i>	yellow	8-10	May	partial shade	.25	2.50
<i>Violaceum</i>	violet	8-10	May	partial shade	.25	2.50
<b>Erigeron</b> (Flea Bane)						
<i>Intermedium</i>	rosy-white	24	June-July	sunny	.25	2.50
<i>Speciosus roseus</i>	rosy-pink	24	June-Aug	sunny	.25	2.50
<b>Eryngium</b> (Sea Holly)						
<i>Amethystinum</i>	blue	24-30	July-Aug	sunny	.25	2.50
<i>Maritimum</i>	pale blue	12-15	July-Sept	sunny	.25	2.50
<b>Eupatorium</b> (Thorough-wort)						
<i>Ageratoides</i>	white	36-42	Aug-Sept	sunny	.15	1.50
<i>Coelestinum</i>	light blue	18-24	Aug-Sept	sunny	.15	1.50
<i>Purpureum maculatum</i>	reddish-purple	30	Aug-Sept	sunny	.15	1.50
<b>Euphorbia</b> (Milkwort)						
<i>Corollata</i>	white	18	June-Aug	sunny	.15	1.50
<i>Cyparissias</i>	bright yellow	10-12	May	sunny	.15	1.50
<i>Polychroma</i>	chrome yellow	24	April	sunny	.25	2.50
<b>Ferns, Choice Hardy</b>						
<i>Adiantum pedatum</i> (Maiden Hair)	.....	8-12	.....	shady	.20	2.00
<i>Aspidium acrostichoides</i> (Wood Fern)	.....	12	.....	shady	.20	2.00
“ <i>marginalie</i> (Evergreen Wood Fern)	.....	12-24	.....	shady	.20	2.00
“ <i>Goldianum</i> (Shield Fern)	.....	24-36	.....	shady	.20	2.00
“ <i>Spinulosum</i>	.....	12-15	.....	shady	.20	2.00
<i>Asplenium filix-femina</i>	.....	10-12	.....	shady	.20	2.00
“ “ “ <i>Victoria</i> (Queen of Lady Ferns)	.....	12-15	.....	shady	.20	2.00
“ “ “ <i>multifidum</i>	.....	12-15	.....	partial shade	.20	2.00
“ “ “ <i>setigerum</i>	.....	15-18	.....	partial shade	.20	2.00
“ “ “ <i>Craigii laciniatum</i>	.....	15-18	.....	shady	.20	2.00
“ “ “ <i>Pulcherimum</i>	.....	12-15	.....	partial shade	.20	2.00
“ <i>Gorngianum pictum</i>	.....	10-15	.....	shady	.20	2.00
“ <i>thelypteris</i>	.....	15-18	.....	shady	.20	2.00
“ <i>trichomanes</i>	.....	3-6	.....	partial shade	.20	2.00
<i>Dicksomia punctilobula</i> (Gossamer Fern)	.....	24-36	.....	partial shade	.20	2.00
<i>Lastrea Chrysoloba</i>	.....	12	.....	shady	.20	2.00
“ <i>Pseudo-mas Pinderi</i>	.....	18-24	.....	partial shade	.20	2.00
“ “ “ <i>cristata</i>	.....	12-15	.....	partial shade	.20	2.00
“ <i>filix-mas</i> (Male Fern)	.....	18-24	.....	partial shade	.20	2.00
“ <i>dilitata</i>	.....	18-24	.....	partial shade	.20	2.00
“ “ “ <i>cristata</i>	.....	12-15	.....	partial shade	.50	5.00
“ <i>Fluctuosa</i>	.....	12-15	.....	shady	.20	2.00
“ <i>propingua</i>	.....	15-18	.....	shady	.20	2.00
<i>Nephrodium hirtipes</i>	.....	18-24	.....	partial shade	.20	2.00
<i>Onoclea Struthiopteris</i> (Ostrich Fern)	.....	24-36	.....	partial shade	.20	2.00
<i>Osmunda cinnamomea</i> (Cinnamon Fern)	.....	24-36	.....	partial shade	.20	2.00
“ <i>Claytoniana</i> (Flowering Fern)	.....	24-36	.....	partial shade	.20	2.00
“ <i>Palustris Undulata</i>	.....	10-12	.....	partial shade	.50	5.00
“ <i>regalis</i> (Royal Fern)	.....	24-36	.....	partial shade	.20	2.00
<i>Phegopteris hexagonoptera</i>	.....	15-18	.....	partial shade	.75	7.50
<i>Polystichum Angulare Divisilobum</i>	.....	15-18	.....	shady	.75	7.50
“ “ “ <i>Grandis</i>	.....	15-18	.....	partial shade	.75	7.50
“ “ “ <i>Stipulatum</i>	.....	15-18	.....	partial shade	.75	7.50
“ “ “ <i>Frondosa</i>	.....	15	.....	partial shade	.75	7.50
“ “ “ <i>Multilobatum</i>	.....	15-18	.....	partial shade	.50	5.00
“ <i>Braunii</i>	.....	12-15	.....	partial shade	.20	2.00
“ <i>setosum</i>	.....	12	.....	partial shade	.20	2.00
<i>Scolopendrium officinatum</i> (Hart's Tongue)	.....	12	.....	shady	.25	2.50
“ “ “ <i>capitatum</i>	.....	12	.....	shady	.50	5.00
“ “ “ <i>digitatum</i>	.....	12	.....	shady	.50	5.00
“ “ “ <i>undulatum</i>	.....	12	.....	shady	.50	5.00
<b>Funkia</b> (Plantain Lily)						
<i>Coerulea</i>	blue	48	June	sun or shade	.15	1.50
<i>Fortunei gigantea</i>	lilac	30	July	sun or shade	.50	5.00
<i>Minor alba</i>	white	12-15	July	sun or shade	.25	2.50
<i>Lanceolata</i>	lilac	24	September	sun or shade	.15	1.50
<i>Robusta elegans variegata</i>	mauve	30	July	sun or shade	.25	2.50
<i>Sieboldiana</i>	tinted white	30	July	sun or shade	.15	1.50
<i>Subcordata grandiflora</i>	pure white	30-36	Aug-Sept	sun or shade	.15	1.50
<i>Undulata media picta</i>	lilac	24	July	sun or shade	.15	1.50
<b>Gaillardia</b> (Blanket Flower)						
<i>Grandiflora</i>	crimson and orange	24	June-Nov	sunny	.15	1.50
<b>Gentiana</b> (Gentian)						
<i>Andrewsi</i>	blue	24	August	partial shade	.25	2.50
<i>Scabra</i>	blue	18	October	partial shade	.50	5.00
<b>Geranium</b> (Crane's Bill)						
<i>Fremonti</i>	rosy purple	24	July-Aug	sunny	.15	1.50
<i>Grandiflorum</i>	pale lilac-blue	12	June-Aug	sunny	.15	1.50
<i>Platypetalum</i>	rosy-purple	18	June	sunny	.15	1.50
<i>Sanguineum</i>	crimson	18	June-Oct	sunny	.15	1.50
“ <i>album</i>	white	18	June-Oct	sunny	.15	1.50
<b>Geum</b> (Avens)						
<i>Coccineum</i>	scarlet	15	May-July	sunny	.15	1.50
<i>Mrs. Bradshaw</i>	scarlet	15	May-July	sunny	.25	2.50
<i>Miniatum Perry's Variety</i>	orange	15	May-July	sunny	.50	5.00
<b>Gillenia</b> (Bowman's Root)						
<i>Trifoliata</i>	white	36	July	sun or shade	.25	2.50
<b>Glechoma</b> , or <b>Nepeta</b> (Groundsel)						
<i>Variegata</i>	blue	trailing	July	sun or shade	.10	1.00
<b>Grasses and Bamboos</b>						
<i>Arrhenatherum bulbosum variegatum</i>	.....	6-8	.....	sun or shade	.25	2.50
<i>Arundo Donax</i>	.....	96-240	October	sunny	.25	2.50
“ “ <i>variegata</i>	.....	96-120	October	sunny	.25	2.50



Gaillardia Grandiflora.



Gypsophila Paniculata Fl. Pl.



Hemerocallis.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Grasses and Bamboos—Continued</b>						
<i>Bambusa aurea</i>		180-240	.....	sun or shade	\$1.00	\$10.00
“ <i>auricoma</i>		36	.....	sun or shade	1.00	10.00
“ <i>Fortunei variegata</i>		18	.....	sun or shade	.50	5.00
“ <i>Henonis</i>		120-180	.....	sun or shade	1.00	10.00
“ <i>Metake</i>		72-120	.....	sun or shade	1.00	10.00
“ <i>Simoni</i>		180-240	.....	sun or shade	.75	7.50
“ <i>viminalis</i>		18-24	.....	sun or shade	.75	7.50
<i>Elymus glaucus</i>		24-36	.....	sun or shade	.25	2.50
<i>Erianthus Ravennæ</i>		120-144	Sept-Oct	sunny	.25	2.50
<i>Eulalia gracilima univittata</i>		72-84	Sept-Oct	sunny	.25	2.50
“ <i>Japonica</i>		72-84	Sept-Oct	sunny	.25	2.50
“ “ <i>variegata</i>		72-84	Sept-Oct	sunny	.25	2.50
“ “ <i>zebrina</i>		72-84	Sept-Oct	sunny	.25	2.50
“ “ “ <i>stricta</i>		72-84	Sept-Oct	sunny	.25	2.50
<i>Festuca glauca</i>		8-10	.....	sunny	.25	2.50
<i>Glycerium argenteum</i>		96-120	October	sunny	.50	5.00
<i>Molina Cœrulea</i>		6	.....	sun or shade	.15	1.50
<i>Pennisetum Japonicum</i>		48	Sept-Oct	sunny	.15	1.50
<i>Phalaris arundinacea variegata</i>		12-15	.....	sunny	.15	1.50
<i>Uniola latifolia</i>		36-48	.....	sunny	.15	1.50
<i>Gunnera</i> (Chilian Rhubarb)						
<i>Scabra</i>	or. foliage	60	.....	sunny	.50	5.00
<i>Gypsophila</i> (Baby's Breath)						
<i>Acutifolia</i>	white	24	July	sunny	.15	1.50
<i>Cerastioides</i>	white	3	June-Aug	sunny	.15	1.50
<i>Paniculata</i>	white	24-36	Aug-Sept	sunny	.15	1.50
“ fl. pl.	white	24-36	Aug-Sept	sunny	.25	2.50
<i>Repens</i>	white	trailing	July-Aug	sunny	.15	1.50
<i>Helenium</i> (Sneezewort)						
<i>Aumtumiale superbum</i>	yellow	60-72	Aug-Sept	sunny	.15	1.50
“ <i>rubrum</i>	terra-cotta red	48	Aug-Sept	sunny	.25	2.50
<i>Hoopesi</i>	orange-yellow	24	June	sunny	.15	1.50
<i>Pumilum magnificum</i>	golden-yellow	18	July-Sept	sunny	.15	1.50
<i>Riverton Beauty</i>	lemon-yellow	48	Aug-Sept	sunny	.25	2.50
<i>Riverton Gem</i>	wallflower-red	36	Aug-Sept	sunny	.25	2.50
<i>Helianthemum</i> (Rock, or Sun Rose)						
<i>Vulgare</i> , mixed seedlings	all colors	6	July-Sept	sunny	.25	2.50
<i>Helianthus</i> (Hardy Sunflower)						
<i>Giganteus</i>	canary-yellow	72	Sept-Oct	sunny	.15	1.50
<i>Maximiliana</i>	golden-yellow	60-84	October	sunny	.15	1.50
<i>Mollis</i>	lemon-yellow	48	Aug-Sept	sunny	.15	1.50
<i>Multiflorus</i> fl. pl.	golden-yellow	48	July-Aug	sunny	.15	1.50
“ <i>maximus</i>	golden-yellow	60-72	July-Aug	sunny	.15	1.50
<i>Orgyalis</i>	yellow	72	September	sunny	.15	1.50
<i>Rigidus Japonicus</i>	golden-yellow	60	July	sunny	.15	1.50
<i>Sparsifolius</i>	yellow	72-96	Aug-Sept	sunny	.15	1.50
<i>Wolley Dod</i>	deep yellow	72	Aug-Sept	sunny	.15	1.50
<i>Helianopsis</i> (Orange Sunflower)						
<i>Pitcheriana</i>	golden-yellow	36	July-Aug	sunny	.15	1.50
“ <i>semi-plena</i>	golden-yellow	24	July-Aug	sunny	.15	1.50
<i>Scabra Zinniæflora</i>	deep yellow	24-30	July-Aug	sunny	.15	1.50
“ <i>Excelsa</i>	chrome-yellow	36	July-Aug	sunny	.30	3.00
<i>Helleborus</i> (Christmas Rose)						
<i>Niger</i>	tinted white	12-15	early spring	partial shade	.35	3.50
<i>Hemerocallis</i> (Yellow Day Lily)						
<i>Aurantiaca</i>	Indian yellow	36-48	June-July	sun or shade	.25	2.50
“ <i>major</i>	Indian yellow	24-36	June-July	sun or shade	.25	2.50
<i>Citrina</i>	lemon-yellow	48	July-Aug	sun or shade	.50	5.00
<i>Dumortieri</i>	cadmium-yellow	18	June	sun or shade	.15	1.50
<i>Flava</i>	lemon-yellow	30-36	June-July	sun or shade	.15	1.50
<i>Florham</i>	golden-yellow	36-42	June-July	sun or shade	.25	2.50
<i>Fulva</i>	orange	48-60	June-July	sun or shade	.15	1.50
<i>Gold Dust</i>	Indian yellow	30	May-June	sun or shade	.15	1.50
<i>Kwanso</i> fl. pl.	deep orange	48-60	July-Aug	sun or shade	.15	1.50
<i>Queen of May</i>	Indian yellow	36-60	May-June	sun or shade	.35	3.50
<i>Thunbergii</i>	buttercup-yellow	48	July-Aug	sun or shade	.15	1.50



Heuchera.




Hibiscus New Giant.



German Iris.

	Color.	Height Inches.	Time of Flowering.	Location.	Each.	Price. Doz.
<b>Hepatica</b> (Liver Leaf) <i>Triloba</i> .....	blue	6	March-April	partial shade	.15	1.50
<b>Herniaria</b> (Turk's Herb) <i>Glabra</i> .....	greenish	trailing	July-Aug	sunny	.25	2.50
<b>Hesperis</b> (Rocket) <i>Matronalis</i> .....	pink	36-48	June-July	sunny	.15	1.50
<b>Heuchera</b> (Alum Root or Coral Bells) <i>Gracillima Perry's Variety</i> .....	crimson	18-24	July-Aug	sunny	.50	5.00
<i>Pluie de Feu</i> .....	raspberry-red	18-24	July-Aug	sunny	.25	2.50
<i>Sanguinea</i> .....	coral-red	18-24	July-Aug	sunny	.25	2.50
“ <i>alba</i>	creamy-white	18-24	July-Aug	sunny	.25	2.50
<i>Virginal</i> .....	creamy-white	18-24	July-Aug	sunny	.25	2.50
<b>Hibiscus</b> (Mallow) <i>Giant-flowering Marshmallows</i> .....	red, pink, white	60-96	July-Sept	sunny	.35	3.50
<i>Mallow Marvels</i> .....	all colors	36-60	July-Sept	sunny	.25	2.50
<i>Moschutos</i> .....	rosy-red	36-48	July-Sept	sunny	.15	1.50
“ <i>Crimson Eye</i> .....	white	36-48	July-Sept	sunny	.15	1.50
<b>Hieracium</b> (Hawk-weed) <i>Aurantiacum</i> .....	orange	6-24	June-Oct	sunny	.15	1.50
“ <i>Rubrum</i> .....	orange-red	6-24	June-Oct	sunny	.15	1.50
<b>Hollyhocks</b>						
<i>Allegheny</i> , choice mixed .....	various	72-96	June-July	sunny	.20	2.00
<i>Double-flowering</i> , mixed .....	various	72-96	June-July	sunny	.20	2.00
“ “ <i>maroon</i> .....	maroon	72-96	June-July	sunny	.20	2.00
“ “ <i>red</i> .....	red	72-96	June-July	sunny	.20	2.00
“ “ <i>rose</i> .....	rose	72-96	June-July	sunny	.20	2.00
“ “ <i>white</i> .....	white	72-96	June-July	sunny	.20	2.00
“ “ <i>yellow</i> .....	yellow	72-96	June-July	sunny	.20	2.00
“ “ <i>Newport Pink</i> .....	pink	72-96	June-July	sunny	.25	2.50
<i>Single-flowering</i> , mixed .....	various	72-96	June-July	sunny	.20	2.00
<b>Houstonia</b> (Bluets, Quaker Lady or Innocence) <i>Serpentifolia</i> .....	light blue	trailing	April	sun or shade	.15	1.50
<b>Hypericum</b> (St. John's-wort) <i>Adpressum</i> .....	yellow	6-8	July-Aug	sun or shade	.15	1.50
<i>Moserianum</i> .....	yellow	24	July-Sept	sunny	.15	1.50
<b>Iberis</b> (Hardy Candytuft) <i>Little Gem</i> .....	white	5-6	May-June	sunny	.15	1.50
<i>Sempervirens</i> .....	white	8-10	May-June	sunny	.15	1.50
<i>Snowflake</i> .....	white	8-10	May-June	sunny	.15	1.50
<b>Incarvillea</b> (Hardy Gloxinia) <i>Delavayi</i> .....	rose-red	18	May	sun or shade	.15	1.50
<b>Inula</b> (Flea Bane) <i>Ensifolia</i> .....	yellow	18	June-Aug	sunny	.25	2.50
<i>Montana</i> .....	yellow	18	June-Aug	sunny	.25	2.50
<i>Oculus-Christi</i> .....	golden-yellow	24	June-Aug	sunny	.25	2.50
<i>Koyleana</i> .....	golden-yellow	18-24	July-Aug	sunny	.25	2.50
<b>Iris Germanica</b> (German Iris) <i>Black Prince or Black Knight</i> .....	violet and purple	24-30	May	sunny	1.00	10.00
<i>Blue Boy</i> .....	lavender-blue	24-30	May	sunny	.15	1.50
<i>Celeste</i> .....	azure-blue	24-30	May	sunny	.15	1.50
<i>Cherion</i> .....	lilac-mauve	24-30	May	sunny	.15	1.50
<i>Edith</i> .....	plumbago-blue	24-30	May	sunny	.15	1.50
<i>Florentina alba</i> .....	white	36-42	May	sunny	.15	1.50
<i>Gazelle</i> .....	white and mauve	36-48	May	sunny	.15	1.50
<i>Honorabilis</i> .....	yellow and brown	24-30	May	sunny	.15	1.50
<i>Johan de Witt</i> .....	violet-blue	24-30	May	sunny	.15	1.50
<i>King of Iris</i> .....	lemon and brown	30-36	May	sunny	.50	5.00
<i>La Tendresse</i> .....	light blue	24-30	May	sunny	.15	1.50
<i>Lohengrin</i> .....	violet-mauve	24-30	May	sunny	.50	5.00
<i>Lord Salisbury</i> .....	white and purple	24-30	May	sunny	.15	1.50
<i>Loreley</i> .....	ultramarine blue	24-30	May	sunny	.50	5.00
<i>Maid Marion</i> .....	lavender	24-30	May	sunny	.15	1.50
<i>Maori King</i> .....	yellow and chocolate	24-30	May	sunny	.25	2.50
<i>Mithras</i> .....	yellow and violet	24-30	May	sunny	.50	5.00



The Celebrated Horikiri Iris Flower Garden, Tokio, Japan.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Iris Germanica—Continued</b>						
Mme. Chereau	white and blue	36-42	May	sunny	\$0.15	\$1.50
Mrs. H. Darwin	white and violet	30-36	May	sunny	.15	1.50
Nibelungen	yellow and blue	24-30	May	sunny	.50	5.00
Ossian	yellow and violet	24-30	May	sunny	.15	1.50
Pallida Dalmatica	lavender-blue	48	May	sunny	.25	2.50
“ folis variegatis	pale lavender	24	May	sunny	.50	5.00
“ speciosa	deep lavender	48	May	sunny	.25	2.50
Plicata	violet-purple	24-30	May	sunny	.15	1.50
Plumeri	rosy-mauve	24-30	May	sunny	.15	1.50
Princess Victoria Louise	yellow and plum	24-30	May	sunny	.50	5.00
Queen of May	rose-lilac	24-30	May	sunny	.25	2.50
Rembrandt	lavender	24-30	May	sunny	.15	1.50
Rhein Nixe	violet and white	30-36	May	sunny	.50	5.00
Shakespeare	yellow and violet	24-30	May	sunny	.15	1.50
Spectabilis	violet-purple	24	April-May	sunny	.15	1.50
Tinna	ageratum blue	30-36	May	sunny	.15	1.50
Walneri	lavender and lilac	24	May	sunny	.15	1.50
Choice Mixed	all colors	24-30	May	sunny	.10	1.00
<b>Iris Intermedia</b>						
Fritjof	lavender-blue	18	April-May	sunny	.25	2.50
Helge	light citron	18	April-May	sunny	.25	2.50
Ivorene	white	18	April-May	sunny	.25	2.50
<b>Iris Kaempferi (Japanese Iris)</b>						
Yomo-no-umi	white	36-48	June	sunny	.25	2.50
Koki-no-iro	royal-purple	36-48	June	sunny	.25	2.50
Oniga-shima	royal-purple	36-48	June	sunny	.25	2.50
Hano-no-nishiki	violet-purple	36-48	June	sunny	.25	2.50
Shippo	light lilac	36-48	June	sunny	.25	2.50
Shi-un-ryo	white-veined violet	36-48	June	sunny	.25	2.50
Yoshimo	white-veined violet	36-48	June	sunny	.25	2.50
Schuchiukwa	reddish-purple	36-48	June	sunny	.25	2.50
Misutmoshito	purple-marbled white	36-48	June	sunny	.25	2.50
Yayaura	white-marbled blue	36-48	June	sunny	.25	2.50
Tebotan	white-veined blue	36-48	June	sunny	.25	2.50
Yomo-zakuru	lilac-veined purple	36-48	June	sunny	.25	2.50
Tokyo	pure white	36-48	June	sunny	.25	2.50
Tora-odori	white-traced violet	36-48	June	sunny	.25	2.50
Kanarinishiki	white-marbled violet	36-48	June	sunny	.25	2.50
Washi-no-wo	mottled violet-purple	36-48	June	sunny	.25	2.50
Nitari	white overlaid purple	36-48	June	sunny	.25	2.50
Shishi-ikari	white-veined purple	36-48	June	sunny	.25	2.50
Gekka-no-nami	white	36-48	June	sunny	.25	2.50
Kumo-funjin	white-bordered lilac	36-48	June	sunny	.25	2.50
Senjo-no-hora	white and crimson					
Rinho	purple	36-48	June	sunny	.25	2.50
Uji-no-hotaru	purple-veined white	36-48	June	sunny	.25	2.50
Kabata	violet-blue	36-48	June	sunny	.25	2.50
Hosokawa	plumbago-blue	36-48	June	sunny	.25	2.50
Choice mixed varieties	purple-veined white	36-48	June	sunny	.25	2.50
	all colors	36-48	June	sunny	.15	1.50
<b>Iris Pumila Hybrida</b>						
Cyanea	royal purple	10-12	April	sunny	.20	2.00
Excelsa	pale lemon	10-12	April	sunny	.20	2.00
Schneekuppe	pure white	10-12	April	sunny	.20	2.00
<b>Iris, Various Species</b>						
Cristata	rich blue	3	May	sunny	.15	1.50
Cuprea or Fulva	coppery-orange	24	June	sunny	.25	2.50
Gracilipes	lilac	8	May	sunny	.25	2.50
Ochroleuca gigantea	pale yellow	48	May-June	sunny	.35	3.50
“ aurea	golden-yellow	48	May-June	sunny	.35	3.50
Pseudacorus	yellow	48	May-June	sunny	.15	1.50
Sibirica	purple	36	June	sunny	.15	1.50
“ alba	white-veined lilac	36	June	sunny	.15	1.50
“ Orientalis	violet-blue	42	June	sunny	.15	1.50
“ “ Snow Queen	ivory-white	42	June	sunny	.15	1.50
Spuria Mrs. A. W. Tait	porcelain-blue	48	June	sunny	.50	5.00

# Dreer's Borders of Hardy Plants

The plans of these, which are illustrated on pages 12 and 13, have been carefully revised and the plants selected to fill the various spaces are those that from experience we unhesitatingly recommend as the best of their respective types, and once planted will succeed with a moderate amount of care under ordinary conditions. The varieties have been arranged to give a succession of flowers and a variety of color throughout the border from the time Spring opens until frost in the Autumn, and a large majority of the sorts are suitable for cut flowers during their respective seasons.

Each border is 100 feet long by different widths and correspond in a general way to the ground usually available for hardy plants in the average garden. The number of plants and the space allotted to each variety permits of the borders being enlarged or diminished and still have the full assortment of varieties; for example, a border 120 feet in length will require 12 plants for each space, while a border 60 feet long will need but 6 plants for each space, the individual spaces being made longer or shorter as the case may be. We will be pleased to advise intending purchasers who contemplate making borders of similar outline to those illustrated, but of different widths, as to how many plants of the same assortment will be necessary to fill their borders.

## DREER'S HARDY BORDER No. 1

This border of regular outline, the plan of which is shown on pages 12 and 13, is 100 feet long by 6 feet wide and requires 10 plants each of the 30 varieties enumerated on pages 12 and 13, 300 plants in all.

Price for the lot, either for sunny or shady location, \$30.00.

## DREER'S HARDY BORDER No. 2

This is an irregular border, 100 feet in length by varying widths, the plan of which is shown on pages 12 and 13, and requires 10 plants each of the 50 varieties enumerated on pages 12 and 13—500 plants in all.

Price for the lot, either for sunny or shady location, \$50.00.

## DREER'S HARDY BORDER No. 3

This is a double border for both sides of a path, each 100 feet long by 5 feet wide, the plan of which is shown on pages 12 and 13, and requires 10 plants each of the 60 varieties enumerated on pages 12 and 13—600 plants in all.

Price for the lot, either for sunny or shady location, \$60.00.

## DREER'S HARDY BORDER No. 4

This border, 100 feet long by 5 feet wide, is one side of our Border No. 3, covering sections No. 1 to No. 30, and requires 10 plants each of 30 varieties—300 plants in all, as enumerated on pages 12 and 13.

Price for the lot for sunny or shady location, \$30.00.

## DREER'S HARDY BORDER No. 5

This border, 100 feet long by 5 feet wide, is the other side of our Border No. 3, covering sections No. 31 to No. 60, and requires 10 plants each of 30 varieties—300 plants in all, as enumerated on pages 12 and 13.

Price for the lot, for either sunny or shady location, \$30.00.

It is possible that some of our customers may wish to plant a hardy border, part of which is in the shade and part in the sun. In such cases the sections which are shady should be filled with the plants recommended for such locations, and if customers, in ordering, will state which sections are in shade, we will send the proper plants for same. Unless otherwise specified we will fill all orders with the plants suitable for sunny borders.


With each order we will include a blue print of the border wanted, drawn to scale, which will enable the most inexperienced amateur to set the various plants in their proper positions.

In preparing your border see that it is deeply dug and fertilized as suggested in the cultural notes on page 1. Have your beds ready in advance of the receipt of the plants, so that they may be planted promptly on their arrival. After you have prepared your border, in accordance with the instructions given on page 1, level the surface neatly with a rake, and then mark out the different sections. A cane is as convenient a tool for this purpose as can be used. Place the plants in position in their various sections; then plant and cultivate as recommended in the cultural notes in the opening pages of this book.

The prices at which we offer the above stock are considerably below the regular rates, as in anticipation of a large demand for these collections, we have prepared an extensive stock of the various varieties. We make no charge for packing, which will be done in the most scientific manner, nor for delivery to any express or transportation line in Philadelphia, but the cost for expressage must be paid by the purchaser.




AN EFFECTIVE HARDY BORDER



Border  
No. 1

#### Plants for Border No. 1 if in a Sunny Position


Section	10	Achillea Boule de Neige	Section	10	Salvia azurea grandiflora	Section	10	Anchusa Dropmore variety
2	10	Sedum spectabile Brilliant	12	10	Aquilegia long-spurred hybrids	22	10	Stokesia cyanea
3	10	Phlox W. C. Egan	13	10	Phlox Mrs. Jenkins	23	10	Pentstemon barbatus Torreyi
4	10	Heliopsis zinniæflora	14	10	Chelone Loni	24	10	Helenium pumilum magnificum
5	10	Dictamnus fraxinella alba	15	10	Pyrerhrum uliginosum	25	10	Hemerocallis Thunbergi
6	10	Iris germanica Mime. Chereau	16	10	Tritoma Pfitzeri	26	10	Funkia lanceolata
7	10	Delphinium Belladonna	17	10	Helenium Riverton Gem	27	10	Delphinium formosum
8	10	Funkia subcordata grandiflora	18	10	Rudbeckia Newmani	28	10	Phlox Elizabeth Campbell
9	10	Physostegia Virginica	19	10	Boltonia latisquama	29	10	Lysimachia Fortunei
10	10	Veronica longifolia subsessilis	20	10	Iris interregna Helge	30	10	Statice latifolia




## Border No. 2

### **Plants for Border No. 2 if in a Sunny Position**

Section	Section	Section
1 10 Hardy Pink <i>Her Majesty</i>	18 10 <i>Aquilegia chrysanthia</i>	35 10 <i>Iris cristata</i>
2 10 <i>Iris germanica Loreley</i>	19 10 <i>Phlox Mrs. Jenkins</i>	36 10 <i>Rudbeckia Newmani</i>
3 10 <i>Helenium pumilum magnificum</i>	20 10 <i>Anchusa Dropmore variety</i>	37 10 <i>Aster Climax</i>
4 10 <i>Plumbago larpentæ</i>	21 10 <i>Heliois zinniæflora</i>	38 10 <i>Valeriana officinalis</i>
5 10 <i>Echinops ritro</i>	22 10 <i>Helenium autumnale superbum</i>	39 10 <i>Doronicum caucasicum</i>
6 10 <i>Funkia lanceolata</i>	23 10 <i>Lobelia cardinalis</i>	40 10 <i>Pentstemon pubescens</i>
7 10 <i>Artemisia lactiflora</i>	24 10 <i>Boltonia asteroides</i>	41 10 <i>Hardy Chrysanthemums</i>
8 10 <i>Hemerocallis Dumortieri</i>	25 10 <i>Delphinium Gold Medal</i>	42 10 <i>Scabiosa caucasica</i>
9 10 <i>Campanula carpatica</i>	26 10 <i>Pyrethrum uliginosum</i>	43 10 <i>Boltonia latiflora</i>
10 10 <i>Aster amellus</i>	27 10 <i>Stokesia cyanæa blue</i>	44 10 <i>Phlox R. P. Struthers</i>
11 10 <i>Phystostegia virginica</i>	28 10 <i>Veronica spicata rosea</i>	45 10 <i>Veronica rupestris</i>
12 10 <i>Tritoma Pützeri</i>	29 10 <i>Alyssum saxatile compactum</i>	46 10 <i>Veronica longifolia subsessilis</i>
13 10 <i>Gypsophila paniculata</i>	30 10 <i>Salvia azurea grandiflora</i>	47 10 <i>Lysimachia clethroides</i>
14 10 <i>Platycodon grandiflora</i>	31 10 <i>Chelone Lyoni</i>	48 10 <i>Iris Kaempferi</i>
15 10 <i>Arabis alpina</i>	32 10 <i>Digitalis gloxiniaeflora</i>	49 10 <i>Sedum spectabile</i>
16 10 <i>Veronica incana</i>	33 10 <i>Iris germanica Lohengrin</i>	50 10 <i>Hardy Pink Homer</i>
17 10 <i>Dictamnus fraxinella</i>	34 10 <i>Rhexia virginica</i>	




## Border No. 3




#### Plants for Border No. 3 if in a Sunny Position

Section	Section	Section
1 10 <i>Sedum spectabile</i> Brilliant	21 10 <i>Iris interregna</i> Helge	41 10 <i>Paeonies</i> assorted
2 10 <i>Gypsophila paniculata</i>	22 10 <i>Platycodon grandiflorum</i>	42 10 <i>Boltonia latisquama</i>
3 10 <i>Dictamnus fraxinella alba</i>	23 10 <i>Phlox Riverton Jewel</i>	43 10 <i>Doronicum excelsum</i>
4 10 <i>Phystostegia Virginica</i>	24 10 <i>Hemerocallis Gold Dust</i>	44 10 <i>Delphinium Belladonna</i>
5 10 <i>Digitalis gloxiniaeflora</i>	25 10 <i>Aster St. Egwin</i>	45 10 <i>Aster amellus Preziosa</i>
6 10 <i>Stokesia caynea</i>	26 10 <i>Paeonies</i> assorted	46 10 <i>Hemerocallis Thunbergi</i>
7 10 <i>Aster tataricus</i>	27 10 <i>Veronica longifolia</i> subsessilis	47 10 <i>Alyssum saxatile compactum</i>
8 10 <i>Phlox Rheinlander</i>	28 10 <i>Enothera Pilgrim</i>	48 10 <i>Scabiosa caucasica</i>
9 10 <i>Delphinium formosum</i>	29 10 <i>Iris germanica</i> Lohengrin	49 10 <i>Anchusa Opal</i>
10 10 <i>Calimeris incisa</i>	30 10 <i>Funkia lanceolata</i>	50 10 <i>Oriental Poppy Mrs. Perry</i>
11 10 <i>Echinops ritro</i>	31 10 <i>Funkia subcordata</i> grandiflora	51 10 <i>Aquilegia flabellata</i> nana alba
12 10 <i>Veronica incana</i>	32 10 <i>Rudbeckia maxima</i>	52 10 <i>Pyrethrum uliginosum</i> stellatum
13 10 <i>Anchusa Dropmore variety</i>	33 10 <i>Lychnis viscaria</i> splendens	53 10 <i>Eupterium coelestium</i>
14 10 <i>Aquilegia chrysanthia</i>	34 10 <i>Aster Climax</i>	54 10 <i>Phlox Thor</i>
15 10 <i>Plumbago larpetana</i>	35 10 <i>Lobelia cardinalis</i>	55 10 <i>Valeriana officinalis</i>
16 10 <i>Chelone Lyoni</i>	36 10 <i>Phlox Gefion</i>	56 10 <i>Helenium pumilum magnificum</i>
17 10 <i>Helenium Riverton Beauty</i>	37 10 <i>Iris germanica</i> Mme. Chereau	57 10 <i>Digitalis gloxiniaeflora</i>
18 10 <i>Festuca glauca</i>	38 10 <i>Dictamnus fraxinella</i>	58 10 <i>Rudbeckia Newmani</i>
19 10 <i>Achillea eupatorium</i>	39 10 <i>Salvia azurea</i> grandiflora	59 10 <i>Saturnia montana</i>
20 10 <i>Salvia Pitcheri</i>	40 10 <i>Lysimachia</i> Fortunii	60 10 <i>Achilles The Pearl</i>




### Plants for Border No. 1 if in a Shady Position

Section	1 10 Anemone Queen Charlotte	Section	11 10 Salvia azurea grandiflora	Section	21 10 Thalictrum aquilegifolium
2 10 Lily of the Valley	12 10 Lysimachia clethroides	22 10 Pulmonaria angustifolia azurea	23 10 Spirea palmata elegans	23 10 Spirea palmata elegans	24 10 Sedum spectabile Brilliant
3 10 Lobelia cardinalis	13 10 Hemerocallis flava	24 10 Chelone Lyoni	25 10 Hemerocallis Thunbergi	25 10 Hemerocallis Thunbergi	26 10 Funkia lanceolata
4 10 Eupatorium coelestinum	14 10 Valeriana officinalis	26 10 Dielytra formosa	27 10 Spirea ulmaria fl. pl.	27 10 Spirea ulmaria fl. pl.	28 10 Anemone japonica alba
5 10 Spirea filipendula fl. pl.	15 10 Chelone Lyoni	27 10 Accutum Spark's variety	29 10 Lysimachia Fortunei	29 10 Lysimachia Fortunei	30 10 Violet double Russian
6 10 Cimicifuga racemosa	16 10 Dielytra formosa	28 10 Trollius europaeus			
7 10 Aquilegia chrysanthra	17 10 Accutum Spark's variety	29 10 Eupatorium ageratoides			
8 10 Funkia subcordata grandiflora	18 10 Trollius europaeus	30 10 Campanula glomerata superba			
9 10 Digitalis gloxiniaeiflora	19 10 Eupatorium ageratoides				
10 10 Polemonium reptans	20 10 Campanula glomerata superba				



### Plants for Border No. 2 if in a Shady Position

Section	1 10 Aquilegia flabellata nana alba	Section	18 10 Anemone pennsylvanica	Section	35 10 Primula veris superba
2 10 Anemone japonica alba	19 10 Chelone glabra alba	36 10 Platycodon grandiflorum	37 10 Thermopsis caroliniana	37 10 Thermopsis caroliniana	38 10 Pardanthus sinensis
3 10 Pulmonaria angustifolia azurea	20 10 Funkia cœrulea	38 10 Pardanthus sinensis	39 10 Satureia montana	39 10 Satureia montana	40 10 Trollius europaeus
4 10 Cerastium tomentosum	21 10 Spirea palmata	39 10 Satureia montana	40 10 Trollius europaeus	41 10 Tradescantia virginica	42 10 Saxifraga cordifolia
5 10 Baptisia australis	22 10 Artemisia lactiflora	40 10 Echinops ritro	41 10 Hemerocallis Florham	43 10 Hemerocallis Florham	44 10 Tricyrtis hirta
6 10 Funkia lanceolata	23 10 Echinops ritro	42 10 Spirea aruncus	44 10 Veronica rupestris alba	45 10 Veronica rupestris alba	46 10 Spirea filipendula fl. pl.
7 10 Digitalis gloxiniaeiflora	24 10 Spirea aruncus	43 10 Anemone Queen Charlotte	46 10 Spirea filipendula fl. pl.	47 10 Lobelia siphilitica	48 10 Anemone japonica Whirlwind
8 10 Hemerocallis Dumortieri	25 10 Hemerocallis flava	44 10 Chelone Lyoni	48 10 Anemone japonica Whirlwind	49 10 Lysimachia Fortunei	50 10 Violet double Russian
9 10 Myosotis palustris semperflorens	26 10 Hypericum moserianum	45 10 Lobelia cardinalis			
10 10 Euphorbia corollata	27 10 Polemonium reptans	46 10 Campanula glomerata superba			
11 10 Thalictrum aquilegifolium	28 10 Polemonium reptans	47 10 Festuca glauca			
12 10 Spirea chinensis	29 10 Tunica saxifraga				
13 10 Hemerocallis Thunbergi	30 10 Aconitum Spark's variety				
14 10 Campanula glomerata superba	31 10 Lobelia cardinalis				
15 10 Plumbago larpente	32 10 Chelone Lyoni				
16 10 Veronica incana	33 10 Funkia subcordata grandiflora				
17 10 Anthericum liliastrum giganteum	34 10 Festuca glauca				



### Plants for Border No. 3 if in a Shady Position


Section	1 10 Ajuga reptans rubra	Section	21 10 Sedum spectabile Brilliant	Section	41 10 Aconitum Fischeri
2 10 Anemone Queen Charlotte	22 10 Lobelia siphilitica	42 10 Digitalis gloxiniaeiflora	42 10 Digitalis gloxiniaeiflora	42 10 Digitalis gloxiniaeiflora	43 10 Doronicum excelsum
3 10 Hemerocallis Dumortieri	23 10 Spirea filipendula	43 10 Cimicifuga racemosa	43 10 Cimicifuga racemosa	43 10 Cimicifuga racemosa	44 10 Campanula glomerata
4 10 Baptisia australis	24 10 Hemerocallis Gold Dust	45 10 Eupatorium maculatum	45 10 Eupatorium maculatum	45 10 Eupatorium maculatum	46 10 Hemerocallis Thunbergi
5 10 Digitalis gloxiniaeiflora	25 10 Eupatorium maculatum	46 10 Peonies assorted	46 10 Peonies assorted	46 10 Peonies assorted	47 10 Myosotis palustris semperflorens
6 10 Dielytra Eximia	26 10 Peonies assorted	47 10 Pulmonaria angustifolia azurea	47 10 Pulmonaria angustifolia azurea	47 10 Pulmonaria angustifolia azurea	48 10 Chelone glabra alba
7 10 Eupatorium ageratoides	27 10 Pulmonaria angustifolia azurea	48 10 Alchemilla major	48 10 Alchemilla major	48 10 Alchemilla major	49 10 Lythrum roseum superbum
8 10 Thalictrum adiantifolium	28 10 Alchemilla major	49 10 Tradescantia cœrulea	49 10 Tradescantia cœrulea	49 10 Tradescantia cœrulea	50 10 Calimeris incisa
9 10 Pardanthus sinensis	29 10 Tradescantia cœrulea	50 10 Lily of the Valley	50 10 Lily of the Valley	50 10 Lily of the Valley	51 10 Aquilegia flabellata nana alba
10 10 Trollius europaeus	30 10 Funkia subcordata grandiflora	51 10 Funkia subcordata grandiflora	51 10 Funkia subcordata grandiflora	51 10 Funkia subcordata grandiflora	52 10 Spirea ulmaria fl. pl.
11 10 Aconitum Spark's variety	31 10 Funkia subcordata grandiflora	52 10 Peonies assorted	52 10 Peonies assorted	52 10 Peonies assorted	53 10 Eupatorium coelestinum
12 10 Epimedium nivale	32 10 Peonies assorted	53 10 Primula veris superba	53 10 Primula veris superba	53 10 Primula veris superba	54 10 Funkia lanceolata
13 10 Spirea aruncus	33 10 Primula veris superba	54 10 Artemisia lactiflora	54 10 Artemisia lactiflora	54 10 Artemisia lactiflora	55 10 Valeriana officinalis
14 10 Aquilegia chrysanthra	34 10 Artemisia lactiflora	55 10 Lobelia cardinalis	55 10 Lobelia cardinalis	55 10 Lobelia cardinalis	56 10 Lysimachia clethroides
15 10 Chrysanthemum arcticum	35 10 Lobelia cardinalis	56 10 Marshallia trinervis	56 10 Marshallia trinervis	56 10 Marshallia trinervis	57 10 Pyrethrum uliginosum stellatum
16 10 Chelone Lyoni	36 10 Gentiana Andrewsii	57 10 Thalictrum glaucum	57 10 Thalictrum glaucum	57 10 Thalictrum glaucum	58 10 Anemone Whirlwind
17 10 Boltonia asteroides	37 10 Thalictrum glaucum	58 10 Marshallia trinervis	58 10 Marshallia trinervis	58 10 Marshallia trinervis	59 10 Saxifraga cordifolia
18 10 Anemone pennsylvanica	38 10 Marshallia trinervis	59 10 Spirea palmata	59 10 Spirea palmata	59 10 Spirea palmata	60 10 Euphorbia polychroma
19 10 Funkia cœrulea	39 10 Spirea palmata	60 10 Lysimachia Fortunei			
20 10 Anemone japonica alba	40 10 Lysimachia Fortunei				

18 10 *Festuca glauca*  
19 10 *Achillea eupatorium*  
20 10 *Salvia Pitcheri*  
(12)

38 10 *Dictamnus fraxinella*  
39 10 *Salvia azurea grandiflora*  
40 10 *Lysimachia Fortunei*

58 10 *Rudbeckia Newmanni*  
59 10 *Satureria montana*  
60 10 *Achillea The Pearl*

Border  
No. 1




Plants for Border No. 1 if in a Sunny Position

Section	Section
1 10 Achillea Boule de Neige	11 10 Salvia azurea grandiflora
2 10 Sedum spectabile Brilliant	12 10 Aquilegia long-spurred hybrids
3 10 Phlox W. C. Egan	13 10 Phlox Mrs. Jenkins
4 10 Heliopsis zinniæflora	14 10 Chelone Lyoni
5 10 Dictamnus fraxinella alba	15 10 Pyrethrum uliginosum
6 10 Iris germanica Mme. Chereau	16 10 Tritoma Pfitzeri
7 10 Delphinium Belladonna	17 10 Helenium Riverton Gem
8 10 Funkia subcordata grandiflora	18 10 Rudbeckia Newmani
9 10 Physostegia Virginica	19 10 Boltonia latisquama
10 10 Veronica longifolia subsessilis	20 10 Iris interregna Helge

Plants for Border No. 1 if in a Shady Position

Section	Section	Section
1 10 Anemone Queen Charlotte	11 10 Salvia azurea grandiflora	21 10 Thalictrum aquilegifolium
2 10 Lily of the Valley	12 10 Lysimachia clethroides	22 10 Pulmonaria angustifolia azurea
3 10 Lobelia cardinalis	13 10 Hemerocallis flava	23 10 Spirea palmata elegans
4 10 Eupatorium coelestium	14 10 Chelone Lyoni	24 10 Sedum spectabile Brilliant
5 10 Spirea filipendula fl. pl.	15 10 Valeriana officinalis	25 10 Hemerocallis Thunbergi
6 10 Cimicifuga racemosa	16 10 Dicentra formosa	26 10 Funkia lanceolata
7 10 Aquilegia chrysanthra	17 10 Aconitum Spark's variety	27 10 Spirea ulmaria fl. pl.
8 10 Funkia subcordata grandiflora	18 10 Trollius europæus	28 10 Anemone japonica alba
9 10 Digitalis gloxiniaeflora	19 10 Eupatorium ageratoides	29 10 Lysimachia Fortunei
10 10 Polemonium reptans	20 10 Campanula glomerata superba	30 10 Violet double Russian

Border  
No. 2




Plants for Border No. 2 if in a Sunny Position

Section	Section
1 10 Hardy Pink Her Majesty	18 10 Aquilegia chrysanthra
2 10 Iris germanica Loreley	19 10 Phlox Mrs. Jenkins
3 10 Helenium pumilum magnificum	20 10 Anchusa Dropmore variety
4 10 Plumbago larpente	21 10 Heliopsis zinniæflora
5 10 Echinops ritro	22 10 Helenium autumnale superbum
6 10 Funkia lanceolata	23 10 Lobelia cardinalis
7 10 Artemisia lactiflora	24 10 Boltonia asteroides
8 10 Hemerocallis Dumortieri	25 10 Delphinium Gold Medal
9 10 Campanula carpatica	26 10 Pyrethrum uliginosum
10 10 Aster amellus	27 10 Stokesia cyanea blue
11 10 Physostegia virginica	28 10 Veronica spicata rosea
12 10 Tritoma Pfitzeri	29 10 Alyssum saxatile compactum
13 10 Gypsophila paniculata	30 10 Salvia azurea grandiflora
14 10 Platycodon grandiflora	31 10 Chelone Lyoni
15 10 Arabis alpina	32 10 Digitalis gloxiniaeflora
16 10 Veronica incana	33 10 Iris germanica Lohengrin
17 10 Dictamnus fraxinella	34 10 Rhododendron virginiana

Plants for Border No. 2 if in a Shady Position

Section	Section	Section
1 10 Aquilegia flabellata nana alba	18 10 Anemone pennsylvanica	35 10 Primula veris superba
2 10 Anemone japonica alba	19 10 Chelone glabra alba	36 10 Platycodon grandiflorus
3 10 Pulmonaria angustifolia azurea	20 10 Funkia cœrulea	37 10 Thermopsis caroliniana
4 10 Ceratostylis tomentosum	21 10 Spirea palmata	38 10 Pardanthus sinensis
5 10 Baptisia australis	22 10 Artemisia lactiflora	39 10 Satureja montana
6 10 Funkia lanceolata	23 10 Echinops ritro	40 10 Trollius europæus
7 10 Digitalis gloxiniaeflora	24 10 Spirea aruncus	41 10 Tradescantia virginica
8 10 Hemerocallis Dumortieri	25 10 Anemone Queen Charlotte	42 10 Saxifraga cordifolia
9 10 Myosotis palustris semperflorens	26 10 Hemerocallis flava	43 10 Hemerocallis Floram
10 10 Euphorbia corollata	27 10 Hypericum moserianum	44 10 Trieyrtis hirta
11 10 Thalictrum aquilegifolium	28 10 Polemonium reptans	45 10 Veronica rupestris alba
12 10 Spirea chinensis	29 10 Tunica saxifraga	46 10 Spirea filipendula fl. pl.
13 10 Hemerocallis Thunbergi	30 10 Aconitum Spark's variety	47 10 Lobelia syphilitica
14 10 Campanula glomerata superba	31 10 Lobelia cardinalis	48 10 Anemone japonica Whirlwind
15 10 Plumbago larpente	32 10 Chelone Lyoni	49 10 Lysimachia Fortunei
16 10 Veronica incana	33 10 Funkia subcordata grandiflora	50 10 Violet double Russian
17 10 Anthéricum liliastrum giganteum	34 10 Festuca glauca	

Border  
No. 3



Plants for Border No. 3 if in a Sunny Position

Section	Section
1 10 Sedum spectabile Brilliant	21 10 Iris interregna Helge
2 10 Gypsophila paniculata	22 10 Platycodon grandiflorum
3 10 Dictamnus fraxinella alba	23 10 Phlox Riverton Jewel
4 10 Physostegia Virginica	24 10 Hemerocallis Gold Dust
5 10 Digitalis gloxiniaeflora	25 10 Aster St. Egwin
6 10 Stokesia cæneana	26 10 Peonies assorted
7 10 Aster tataricus	27 10 Veronica longifolia subsessilis
8 10 Phlox Rheinlander	28 10 Erythronium Pilgrim
9 10 Delphinium formosum	29 10 Iris germanica Lohengrin
10 10 Calimeris incisa	30 10 Funkia lanceolata
11 10 Echinops ritro	31 10 Funkia subcordata grandiflora
12 10 Veronicas incana	32 10 Rudbeckia maxima
13 10 Anchusa Dropmore variety	33 10 Lychnis viscaria splendens
14 10 Aquilegia chrysanthra	34 10 Aster Climax
15 10 Plumbago larpente	35 10 Lobelia cardinalis
16 10 Chelone Lyoni	36 10 Phlox Gefion
17 10 Helenium Riverton Beauty	37 10 Iris germanica Mme. Chereau
18 10 Festuca glauca	38 10 Dictamnus fraxinella
19 10 Achillea eupatorium	39 10 Salvia azurea grandiflora
20 10 Salvia Pitcheri	40 10 Lysimachia Fortunei

Plants for Border No. 3 if in a Shady Position

Section	Section	Section
1 10 Ajuga reptans rubra	21 10 Sedum spectabile Brilliant	41 10 Aconitum Fischeri
2 10 Anemone Queen Charlotte	22 10 Lobelia syphilitica	42 10 Digitalis gloxiniaeflora
3 10 Spirea filipendula	23 10 Hemerocallis dumortieri	43 10 Doronicum excelsum
4 10 Hemerocallis Gold Dust	24 10 Aster St. Egwin	44 10 Cimicifuga racemosa
5 10 Digitalis gloxiniaeflora	25 10 Eupatorium maculatum	45 10 Campanula glomerata
6 10 Dielytra Eximia	26 10 Peonies assorted	46 10 Hemerocallis Thunbergi
7 10 Eupatorium ageratoides	27 10 Pulmonaria angustifolia azurea	47 10 Myosotis palustris semperflorens
8 10 Thalictrum adiantifolium	28 10 Alchemilla major	48 10 Chelone glabra alba
9 10 Pardanthus sinensis	29 10 Tradescantia cœrulea	49 10 Lythrum roseum superbum
10 10 Trollius europæus	30 10 Lily of the Valley	50 10 Calimeris incisa
11 10 Aconitum Spark's variety	31 10 Funkia subcordata grandiflora	51 10 Aquilegia flabellata nana alba
12 10 Epimedium nivium	32 10 Peonies assorted	52 10 Spirea ulmaria fl. pl.
13 10 Spirea aruncus	33 10 Primula veris superba	53 10 Eupatorium coelestium
14 10 Aquilegia chrysanthra	34 10 Artemisia lactiflora	54 10 Funkia lanceolata
15 10 Chrysanthemum arcticum	35 10 Lobelia cardinalis	55 10 Valeriana officinalis
16 10 Chelone Lyoni	36 10 Gentiana Andrewsi	56 10 Lysimachia clethroides
17 10 Boltonia asteroides	37 10 Thalictrum glaucum	57 10 Pyrethrum uliginosum stellatum
18 10 Anemone pensylvanica	38 10 Marshallia trinervis	58 10 Anemone Whirlwind
19 10 Funkia cœrulea	39 10 Satureja montana	59 10 Saxifraga cordifolia
20 10 Anemone japonica alba	40 10 Achillea The Pearl	60 10 Euphorbia polychroma



Lupinus Polyphyllus.




Lychnis Chalcedonica.



Monarda Didyma.

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Lavandula</b> (Lavender) <i>Vera</i> .....	blue	18	July	sunny	\$0.15	\$1.50
<b>Liatris</b> (Blazing Star, or Gay Feather) <i>Pyconstachya</i> .....	rosy-purple	60	July-Aug.	sunny	.15	1.50
<i>Scariosa</i> .....	purple	36-48	July-Aug.	sunny	.15	1.50
<b>Lilium</b> (Lily) <i>Auratum</i> .....	white and gold	24-48	July-Aug.	partial shade	.20	2.00
<i>Speciosum album</i> .....	white	24-48	Aug-Sept	sunny	.20	2.00
“ <i>roseum</i> , or <i>rubrum</i> .....	white-spotted crimson	24-48	Aug-Sept	sunny	.15	1.50
“ <i>magnificum</i> .....	deep red	24-48	Aug-Sept	sunny	.15	1.50
<i>Superbum</i> .....	orange-spotted black	36-72	August	sunny	.12	1.25
<i>Tigrinum splendens</i> .....	orange	36-48	July-Aug.	sunny	.10	1.00
<b>Lindelofia</b> <b>Longifolia</b> .....	blue	24	May	sunny	.25	2.50
<b>Linum</b> (Flax) <i>Perenne</i> .....	blue	18	June-Sept	sunny	.15	1.50
<b>Lithospermum</b> (Gromwell) <i>Prostratum</i> .....	blue	trailing	April-Sept	sunny	.25	2.50
“ <i>Heavenly Blue</i> .....	turquoise-blue	trailing	April-Sept	sunny	.50	5.00
<b>Lobelia</b> <i>Cardinalis</i> .....	cardinal-red	24-30	Aug-Sept	sunny	.15	1.50
<i>Siphilitica hybrida</i> .....	blue and white	24-36	July-Sept	sunny	.15	1.50
<b>Lupinus</b> (Lupine) <i>Polyphyllus</i> .....	blue	24-48	May-June	sunny	.25	2.50
“ <i>albus</i> .....	white	24-48	May-June	sunny	.25	2.50
“ <i>Moerheimi</i> .....	pink	24-36	May-June	sunny	.35	3.50
<b>Lychnis</b> (Campion) <i>Chalcedonica</i> .....	orange-scarlet	24-36	June-July	sunny	.15	1.50
“ <i>fl. pl.</i> .....	vermilion-scarlet	24-36	June-July	sunny	.25	2.50
<i>Grandiflora</i> .....	apricot	8-12	June-July	sunny	.35	3.50
“ <i>alba</i> .....	white	8-12	June-July	sunny	.35	3.50
<i>Senno</i> .....	crimson	8-12	June-July	sunny	.35	3.50
<i>Haageana</i> .....	orange-scarlet	12	June-July	sunny	.15	1.50
<i>Vespertina alba plena</i> .....	white	18	June-Sept	sunny	.25	2.50
<i>Viscaria fl. pl.</i> .....	red	12	June	sunny	.15	1.50
<b>Lysimachia</b> (Loose-strife) <i>Ciliata</i> .....	yellow	24	July	sun or shade	.15	1.50
<i>Clethroides</i> .....	white	24	July-Aug	sun or shade	.15	1.50
<i>Fortunei</i> .....	white	18	August	sun or shade	.15	1.50
<i>Nummularia</i> .....	yellow	trailing	May-June	sun or shade	.10	1.00
<i>Punctata</i> .....	yellow	24-36	July-Aug	sun or shade	.15	1.50
<b>Lythrum</b> (Rose Loose-strife) <i>Alatum</i> .....	crimson-purple	24	June-Sept	sun or partial shade	.25	2.50
<i>Roseum superbum</i> .....	rose	36-48	July-Sept	sun or partial shade	.15	1.50
“ <i>Perry's variety</i> .....	cherry-red	36-48	July-Sept	sun or partial shade	.25	2.50
<i>Virgatum</i> .....	rosy-purple	36	July-Sept	sun or partial shade	.25	2.50
<b>Marshallia</b> <i>Trinervis</i> .....	white	15	June-Aug	shady	.25	2.50
<b>Matricaria</b> (Feverfew) <i>Little Gem</i> .....	white	18-24	July-Oct	sunny	.15	1.50
<b>Mertensia</b> (Blue Bells) <i>Virginica</i> .....	blue	12-18	May-June	partial shade	.15	1.50
<b>Monarda</b> (Bergamot) <i>Didyma Cambridge Scarlet</i> .....	crimson-scarlet	24-36	June-Aug	sunny	.15	1.50
“ <i>rosea</i> .....	rose	24-36	June-Aug	sunny	.15	1.50
“ <i>salmoncea</i> .....	salmon-rose	24-30	June-Aug	sunny	.15	1.50
“ <i>violacea</i> .....	amaranth-red	24-36	June-Aug	sunny	.15	1.50
<i>Fistulosa alba</i> .....	white	24-36	July-Aug	sunny	.15	1.50
<b>Montbretia</b> <i>Aurantiaca</i> .....	deep orange	24-30	July-Sept	sunny	.05	.30
<i>Crocosmia-flora</i> .....	golden-orange	24-30	July-Sept	sunny	.05	.30
<i>Etoile de Feu</i> .....	vermilion	24-30	July-Sept	sunny	.05	.30
<i>Germania</i> .....	orange-scarlet	24-30	July-Sept	sunny	.05	.30
<i>Rayon d'Or</i> .....	yellow and brown	24-30	July-Sept	sunny	.05	.30
<i>Rheingold</i> .....	golden-yellow	24-30	July-Sept	sunny	.20	2.00
<i>Speciosa</i> .....	golden-yellow	24-30	July-Sept	sunny	.05	.30




Double Herbaceous Paeony.



Papaver Nudicaule (Iceland Poppies).

	Color.	Height Inches.	Time of Flowering.	Location.	Price, Each.	Price, Doz.
<b>Myosotis</b> (Forget-me-not)						
<i>Alpestris robusta grandiflora</i>	sky-blue	8-10	April-May	sunny	\$0.10	\$1.00
<i>Palustris semperflorens</i>	sky-blue	8-10	April-Oct	partial shade	.10	1.00
<b>Oenothera</b> (Evening Primrose)						
<i>Cæspitosa</i>	white	12	June-Aug	sunny	.15	1.50
<i>Fruticosa pallida</i>	creamy-white	18	June-Aug	sunny	.15	1.50
<i>Missouriensis</i>	yellow	12	June-Sept	sunny	.15	1.50
<i>Pilgrimi</i>	bright yellow	18	June-Sept	sunny	.15	1.50
<i>Speciosa</i>	pure white	18	Aug-Sept	sunny	.15	1.50
<b>Orobus</b> (Bitter Vetch)						
<i>Lathyroides</i>	bright blue	12	May-June	sunny	.25	2.50
<i>Vernus</i>	purple	12	May-June	sunny	.25	2.50
<b>Pachysandra</b>						
<i>Terminalis</i>	white	6-8	May-June	sun or shade	.15	1.50
<b>Paeonia Sinensis</b> (Double Herbaceous Pæonies)						
<i>Albert Crousse</i>	shell-pink	30-36	June	sun or partial shade	.75	7.50
<i>Andre Lauries</i>	Tyrian-rose	30-36	June	sun or partial shade	.25	2.50
<i>Asa Gray</i>	bright lilac	30-36	May	sun or partial shade	.50	5.00
<i>Augustin D'Hour</i>	dark red	30-36	June	sun or partial shade	.50	5.00
<i>Berlioz</i>	carmine-rose	30-36	June	sun or partial shade	.25	2.50
<i>Canary</i>	white	30-36	May	sun or partial shade	.25	2.50
<i>Charlemagne</i>	lilac-white	36-42	June	sun or partial shade	.25	2.50
<i>Couronne d'Or</i>	white	36-42	June	sun or partial shade	.50	5.00
<i>Delachet</i>	crimson-purple	30-36	June	sun or partial shade	.25	2.50
<i>Dr. Caillot</i>	Tyrian-rose	30-36	June	sun or partial shade	.50	5.00
<i>Duchesse de Nemours</i>	sulphur-white	24-30	May	sun or partial shade	.25	2.50
<i>Duke of Wellington</i>	sulphur-white	36-42	May	sun or partial shade	.25	2.50
<i>Edouard Andre</i>	carmine-violet	24-30	June	sun or partial shade	.25	2.50
<i>Edulis Superba</i>	mauve-rose	36-42	May	sun or partial shade	.35	3.50
<i>Felix Crousse</i>	brilliant red	36-42	June	sun or partial shade	.50	5.00
<i>Festiva Maxima</i>	fine white	48	May	sun or partial shade	.05	5.00
<i>Grandiflora rosea</i>	solferino	30-36	June	sun or partial shade	.25	2.50
<i>La Tulipe</i>	flesh-pink	30-36	June	sun or partial shade	.50	5.00
<i>Lady Bramwell</i>	silvery-rose	30-36	June	sun or partial shade	.25	2.50
<i>L'Eclante</i>	brilliant red	24-30	June	sun or partial shade	.25	2.50
<i>L'Indispensable</i>	delicate pink	36-42	June	sun or partial shade	.50	5.00
<i>Louis van Houtte</i>	crimson-maroon	30-36	May	sun or partial shade	.25	2.50
<i>Marie Jacquin</i>	white	24-30	May	sun or partial shade	.25	2.50
<i>Marie Lemoine</i>	ivory-white	36-42	June	sun or partial shade	.50	5.00
<i>Meissonier</i>	crimson	36-42	June	sun or partial shade	.25	2.50
<i>Mlle. Leonie Calot</i>	salmon-flesh	36-42	May	sun or partial shade	.50	5.00
<i>Mme. Boulanger</i>	lilac-white	30-36	June	sun or partial shade	.75	7.50
<i>Mme. Calot</i>	hydrangea-pink	36-42	May	sun or partial shade	.50	5.00
<i>Mme. de Verneville</i>	fine white	30-36	June	sun or partial shade	.50	5.00
<i>Mons. Jules Eli</i>	lilac-rose	24-30	May	sun or partial shade	1.00	10.00
<i>Mons. Krelage</i>	currant-red	30-36	June	sun or partial shade	.25	2.50
<i>Ne Plus Ultra</i>	mauve	30-36	May	sun or partial shade	.25	2.50
<i>President Taft</i>	pink	30-36	June	sun or partial shade	1.00	10.00
<i>Princess Galitzin</i>	lilac-rose	24-30	May	sun or partial shade	.25	2.50
<i>Queen Victoria</i>	white	24-30	May	sun or partial shade	.25	2.50
<i>Rosea Elegans</i>	silvery-rose	36-42	May	sun or partial shade	.25	2.50
<i>Victoire Modeste</i>	violet-rose	36-42	May	sun or partial shade	.25	2.50
<i>Double Mixed</i>	all colors	30-42	May-June	sun or partial shade	.15	1.50



Phlox Decussata.



Papaver (Oriental Poppy).

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Paeonia Officinalis</b> (Early Flowering)						
Officinalis (Mutabilis) alba	blush-white	24	May	sun or partial shade	\$0.30	\$3.00
" " rosea	rose-pink	24	May	sun or partial shade	.30	3.00
" rubra	deep crimson	24	May	sun or partial shade	.30	3.00
<b>Tenuifolia fl. pl.</b>	rich crimson	24	May	sun or partial shade	.30	3.00
<b>Papaver</b> (Poppy)						
<b>Nudicaule</b>	all colors	9-15	April-Sept	sunny	.15	1.50
<b>Oriantale Goliath</b>	fiery-scarlet	36-42	May-June	sunny	.25	2.50
" <b>Mahony</b>	crimson-maroon	36-42	May-June	sunny	.25	2.50
" <b>Mrs. Perry</b>	salmon-rose	36-42	May-June	sunny	.25	2.50
" <b>Oriflamme</b>	orange-scarlet	36-42	May-June	sunny	.25	2.50
" <b>Perry's Pigmy</b>	salmon-rose	36-42	May-June	sunny	.50	5.00
" <b>Lady Frederick Moore</b>	salmon-pink	36-42	May-June	sunny	.50	5.00
" <b>Perry's White</b>	satiny-white	36-42	May-June	sunny	.50	5.00
" <b>mixed varieties</b>	various colors	36-42	May-June	sunny	.15	1.50
<b>Pardanthus</b> (Blackberry Lily)						
<b>Sinensis</b>	orange	30	July-Aug	sunny	.15	1.50
<b>Pentstemon</b> (Beard Tongue)						
<b>Barbatus Torreyii</b>	scarlet	36-48	June-Aug	sunny	.15	1.50
<b>Digitalis</b>	white	24-36	June-July	sunny	.15	1.50
<b>Glaber Hybrids</b>	blue	12-24	June-July	sunny	.15	1.50
<b>Gloxinioides Sensation</b>	various colors	24	July-Oct	sunny	.15	1.50
<b>Pubescens</b>	rosy-purple	18	July-Aug	sunny	.15	1.50
<b>Phlox Suffruticosa</b> (Early-flowering Hardy Phloxes)						
<b>Clouded Gem</b>	white-suffused rose	36	June-Oct	sunny	.20	2.00
<b>Hercules</b>	bright rosy-lilac	30	June-Oct	sunny	.20	2.00
<b>Miss Lingard</b>	fine white	36	June-Oct	sunny	.20	2.00
<b>Mrs. Dalrymple</b>	white, suffused rose	36	June-Oct	sunny	.20	2.00
<b>Phlox, Various Hardy Species</b>						
<b>Amoena</b>	bright pink	4	April-May	sunny	.10	1.00
<b>Arendsi Amanda</b>	delicate lilac	12	May-Oct	sunny	.25	2.50
" <b>Charlotte</b>	lilac shaded pink	18-24	May-Oct	sunny	.25	2.50
" <b>Grete</b>	white	18-20	May-Oct	sunny	.25	2.50
" <b>Helene</b>	lavender-blue	15-18	May-Oct	sunny	.25	2.50
" <b>Kathe</b>	purplish-rose	18-20	May-Oct	sunny	.25	2.50
" <b>Louise</b>	lilac, carmine eye	24	May-Oct	sunny	.25	2.50
<b>Carolina Ovata</b>	reddish-pink	12	May-June	sunny	.15	1.50
<b>Divaricata Canadensis</b>	lavender	10-12	April-May	sunny	.15	1.50
" <b>Violet Queen</b>	deep violet	10-12	April-May	sunny	.25	2.50
" <b>alba grandiflora</b>	white	10-12	April-May	sunny	.25	2.50
" <b>Laphami Perry's variety</b>	deep lavender	10-12	April-May	sunny	.25	2.50
<b>Subulata</b> (Moss or Mountain Pink) <b>alba</b>	white	4-6	April-May	sunny	.10	1.00
" <b>atropurpurea</b>	purplish-rose	4-6	April-May	sunny	.10	1.00
" <b>lillacina</b>	light lilac	4-6	April-May	sunny	.10	1.00
" <b>Nelsoni</b>	white	3-4	April-May	sunny	.10	1.00
" <b>rosea</b>	rose	4-6	April-May	sunny	.10	1.00
<b>Phlox Decussata</b> (Hardy Phlox)						
<b>Albion</b>	white, red eye	18-24	July-Oct	sunny	.15	1.50
<b>Antonin Mercie</b>	suffused lilac & white	24-30	July-Oct	sunny	.15	1.50
<b>Astrild</b>	cochineal-carmine	24-30	July-Oct	sunny	.20	2.00
<b>Bacchante</b>	Tyrian-rose	30-36	July-Oct	sunny	.15	1.50
<b>Baron van Dedem</b>	cochineal-red	18-24	July-Oct	sunny	.15	1.50
<b>B. Comte</b>	rich French purple	30-36	July-Oct	sunny	.20	2.00
<b>Bridesmaid</b>	white, crimson eye	30-36	July-Oct	sunny	.15	1.50
<b>Champs Elysee</b>	bright rosy magenta	18-24	July-Oct	sunny	.15	1.50
<b>Crepuscule</b>	white, purple eye	30-36	July-Oct	sunny	.15	1.50



Physostegia.



Platycodon Grandiflorum.



Polemonium.

**Phlox Decussata—Continued**

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
Danton	scarlet, red eye	24-30	July-Oct	sunny	\$0.15	\$1.50
Diadem	pure white	12-15	July-Oct	sunny	.15	1.50
Eclaireur	rich rosy-magenta	24-30	July-Oct	sunny	.15	1.50
Elizabeth Campbell	salmon-pink	18-24	July-Oct	sunny	.20	2.00
Eugene Danzenvillier	lilac-white	30-36	July-Oct	sunny	.15	1.50
Europa	white, crimson eye	30-36	July-Oct	sunny	.20	2.00
Franz Anton Buchner	white	18-24	July-Oct	sunny	.15	1.50
Franz Rosalie Wildt	mauve-rose	30-36	July-Oct	sunny	.15	1.50
Gefion	peach-blossom pink	18-24	July-Oct	sunny	.20	2.00
General van Heutsz	salmon-red	24-30	July-Oct	sunny	.15	1.50
Grideur	shaded mauve-rose	36-42	July-Oct	sunny	.20	2.00
Henry Marcel	pure red	18-24	July-Oct	sunny	.15	1.50
Henry Murger	white, crimson centre	36-42	July-Oct	sunny	.15	1.50
Henry Royer	Tyrian-rose	18-24	July-Oct	sunny	.15	1.50
H. O. Wijers	white, crimson eye	24-30	July-Oct	sunny	.15	1.50
Ingeborg	vermilion-red	18-24	July-Oct	sunny	.50	5.00
Jeanne d'Arc	pure white	36-42	July-Oct	sunny	.15	1.50
Jules Cambon	rosy-magenta, white eye	30-36	July-Oct	sunny	.15	1.50
La Vague	mauve, red eye	18-24	July-Oct	sunny	.15	1.50
L'Evenement	orange-scarlet	18-24	July-Oct	sunny	.15	1.50
Louise Abbema	pure white	15-18	July-Oct	sunny	.15	1.50
Manzelbrunnen	pink, white eye	24-30	July-Oct	sunny	.15	1.50
Mme. Paul Dutrie	delicate lilac rose	30-36	July-Oct	sunny	.15	1.50
Mrs. Jenkins	fine, pure white	30-36	July-Oct	sunny	.20	2.00
Obergartner Wittig	bright magenta	24-30	July-Oct	sunny	.15	1.50
Pantheon	carmine-rose	30-36	July-Oct	sunny	.15	1.50
Pierre Bayle	crimson-carmine	18-24	July-Oct	sunny	.15	1.50
Professor Virchow	bright carmine	24-30	July-Oct	sunny	.15	1.50
Rheinlander	salmon pink	24-30	July-Oct	sunny	.20	2.00
Riverton Jewel	mauve-rose	30-36	July-Oct	sunny	.20	2.00
Rosenberg	reddish-violet	18-24	July-Oct	sunny	.15	1.50
R. P. Struthers	rosy-carmine	36-42	July-Oct	sunny	.15	1.50
Rynstrom	bright carmine-rose	30-36	July-Oct	sunny	.20	2.00
Siebold	pure scarlet	30-36	July-Oct	sunny	.15	1.50
Sunshine	analine-red	18-24	July-Oct	sunny	.15	1.50
Thor	salmon overlaid scarlet	24-30	July-Oct	sunny	.20	2.00
Tragedie	deep carmine	24-30	July-Oct	sunny	.20	2.00
Von Hochberg	crimson-purple	30-36	July-Oct	sunny	.15	1.50
Von Lassburg	fine white	24-30	July-Oct	sunny	.15	1.50
Wanadis	mottled white & violet	30-36	July-Oct	sunny	.20	2.00
W. C. Egan	delicate soft pink	24-30	July-Oct	sunny	.20	2.00
Widar	reddish-violet, white centre	24-30	July-Oct	sunny	.15	1.50

**Physalis (Chinese Lantern Plant)**

Francheti	orange-red fruit	18-24	July-Oct	sunny	.15	1.50
-----------	------------------	-------	----------	-------	-----	------

**Physostegia (False Dragon's Head)**

Virginica	soft pink	60-72	July-Sept	sunny	.15	1.50
" alba	white	48-60	July-Sept	sunny	.15	1.50
" speciosa	delicate pink	60-72	July-Sept	sunny	.15	1.50

**Platycodon (Balloon Flower or Japanese Bell-flower)**

Grandiflorum	deep blue	24-30	July-Sept	sunny	.15	1.50
" album	white	24-30	July-Sept	sunny	.15	1.50

**Plumbago (Leadwort)**

Larpentæ	deep blue	6-8	Aug-Sept	sunny	.15	1.50
----------	-----------	-----	----------	-------	-----	------

**Podophyllum (May Apple or Mandrake)**

Emodi Majus	pink	36	May	partial shade	.75	7.50
Peltatum	white	24	May	partial shade	.15	1.50

**Polemonium (Jacob's Ladder)**

Reptans	blue	6-8	May-June	partial shade	.15	1.50
Richardsoni	sky-blue	12	June-July	partial shade	.15	1.50
" album	white	12	June-July	partial shade	.15	1.50

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<b>Polygonatum</b> (Solomon's Seal)						
<i>Giganteum</i>	creamy-white	36	May-June	shade	\$0.15	\$1.50
<b>Polygonum</b> (Knot-weed)						
<i>Brunonis</i>	bright rose	12	July-Sept	sunny	.15	1.50
<i>Compactum</i>	white	15	Aug-Sept	sunny	.15	1.50
<i>Cuspidatum</i>	white	36-60	Aug-Sept	sunny	.15	1.50
<i>Sericum</i>	white	24	May-June	sunny	1.00	10.00
<b>Potentilla</b> (Cinquefoil)						
<i>Atrosanguinea</i>	crimson	18-24	July-Aug	sunny	.25	2.50
<i>Formosa</i>	rosy-red	18-24	July-Aug	sunny	.25	2.50
<i>Miss Willmott</i>	cerise-pink	12-15	June-Aug	sunny	.25	2.50
<i>Pyrenaica</i>	golden-yellow	6-12	May-Aug	sunny	.25	2.50
<i>Vulcan</i>	rich crimson	18-24	July-Aug	sunny	.25	2.50
<i>William Rollison</i>	vermilion	18-24	July-Aug	sunny	.25	2.50
<b>Primula</b> (Primrose)						
<i>Acadis alba-plena</i>	white	6-8	April	partial shade	.25	2.50
“ <i>cœrulea</i>	purple-blue	6-8	April	partial shade	.25	2.50
“ <i>Crousei plena</i>	purple-red	6-8	April	partial shade	.25	2.50
<i>Veris</i>	yellow	6	April	partial shade	.10	1.00
“ <i>superba</i>	yellow	10-12	April	partial shade	.20	2.00
<i>Vulgaris</i>	yellow	6-8	April	partial shade	.15	1.50
<b>Prunella</b>						
<i>Grandiflora</i>	purple	6	July-Sept	shady	.25	2.50
<b>Pulmonaria</b> (Lungwort, Bethlehem Sage)						
<i>Angustifolia azurea</i>	gentian-blue	6-12	April-May	partial shade	.25	2.50
<i>Saccharata maculata</i>	blue	6-12	May-June	partial shade	.25	2.50
<b>Pyrethrum</b>						
<i>Hybridum single mixed</i>	all colors	18-24	June-July	sunny	.20	2.00
<i>Uliginosum stellatum</i>	white	36-60	Aug-Sept	sunny	.25	2.50
<b>Ranunculus</b> (Crow-foot, Buttercup)						
<i>Aconitifolius fl. pl.</i>	pure white	24	May-June	sunny	.15	1.50
<i>Acris fl. pl.</i>	golden-yellow	24	May-June	sunny	.15	1.50
<i>Amplexicaulis</i>	white	5-10	May	sunny	.15	1.50
<i>Gramineus</i>	bright yellow	6-8	April-May	sunny	.15	1.50
<i>Repens fl. pl.</i>	golden-yellow	6-12	May-June	sunny	.15	1.50
<b>Rhexia</b> (Meadow Beauty)						
<i>Virginica</i>	rosy-purple	9	June-Sept	sunny	.15	1.50
<b>Rodgersia</b>						
<i>Podophylla</i>	or. foliage	36-48	June	sunny	.25	2.50
<i>Tabularis</i>	or. foliage	48-60	July	sunny	.50	5.00
<b>Romneya</b> (California Tree or Matilija Poppy)						
<i>Coulteri</i>	transparent white	36-60	June-Aug	sunny	.75	7.50
<b>Rosmarinus</b> (Rosemary)						
<i>Officinalis</i>	purple	24-36	June-July	sunny	.15	1.50
<b>Rudbeckia</b> (Cone-flower)						
<i>Lacinata fl. pl. "Golden Glow"</i>	golden-yellow	60-72	July-Sept	sunny	.15	1.50
<i>Maxima</i>	bright yellow	48-60	July-Sept	sunny	.25	2.50
<i>Newmanii</i>	orange-yellow	36	July-Sept	sunny	.15	1.50
<i>Nitida "Autumn Sun"</i>	primrose-yellow	60-72	Aug-Oct	sunny	.15	1.50
<i>Purpurea</i>	reddish-purple	36	July-Oct	sunny	.15	1.50
<i>Sub-tomentosa</i>	lemon-yellow	30	Aug-Oct	sunny	.15	1.50
<b>Salvia</b> (Meadow Sage)						
<i>Azorea</i>	sky-blue	36-48	Aug-Sept	sunny	.25	2.50
<i>Greggii</i>	carmine	24	June-Oct	sunny	.25	2.50
<i>Pitcheri</i>	bright blue	36-48	Aug-Sept	sunny	.25	2.50
<i>Uliginosa</i>	cornflower-blue	48-72	June-Oct	sunny	.25	2.50
<i>Virgata Nemorosa</i>	dark blue	18	July-Aug	sunny	.25	2.50
<b>Santolina</b> (Lavender Cotton)						
<i>Chamæcypris incana</i>	or. foliage	12	.....	sunny	.10	1.00
<b>Saponaria</b> (Soapwort)						
<i>Caucasica flore pleno</i>	white, tinted rose	15	June-Sept	sunny	.15	1.50
<i>Ocymoides</i>	bright rose	6-9	May-Aug	sunny	.15	1.50
<b>Satureia</b> (Winter Savory)						
<i>Montana</i>	white	12	Aug-Sept	sunny	.25	2.50
<b>Saxifraga</b>						
<i>Cordifolia</i>	light pink	10-12	April-May	partial shade	.25	2.50
“ <i>orbiculare</i>	deep rose	10-12	April-May	partial shade	.25	2.50
“ <i>speciosa</i>	rosy-crimson	10-12	April-May	partial shade	.25	2.50
“ <i>Squarrosa</i>	rosy-pink	10-12	April-May	partial shade	.25	2.50
“ <i>Van Houttei</i>	light pink	10-12	April-May	partial shade	.25	2.50
<i>Peltata</i>	light pink	30-36	June	partial shade	.25	2.50
<i>Pyramidalis</i>	white	24	May-June	partial shade	.35	3.50
<i>Sarmentosa</i>	variegated foliage	6-8	May-June	shady	.15	1.50
<i>Umbrosa</i>	white	12	May-June	shady	.25	2.50
<b>Scabiosa</b>						
<i>Caucasica</i> (Blue Bonnet)	blue	15-18	June-Sept	sunny	.25	2.50
“ <i>alba</i>	white	15-18	June-Sept	sunny	.25	2.50
<i>Japonica</i>	lavender-blue	18-24	July-Sept	sunny	.25	2.50
<b>Sedum</b> (Stone-crop)						
<i>Acre</i>	yellow	trailing	May-June	sun or partial shade	.15	1.50
<i>Album</i>	white	trailing	July-Aug	sun or partial shade	.15	1.50
<i>Japonicum macrophyllum</i>	waxy-white	15	Aug-Sept	sun or partial shade	.15	1.50
<i>Kamtschaticum</i>	yellow	.....	June	sun or partial shade	.15	1.50
<i>Lydium glaucum</i>	glaucous-foliage	trailing	.....	sun or partial shade	.15	1.50
<i>Maximum atropurpureum</i>	bronzy-rose	15	Sept-Oct	sunny	.15	1.50
<i>Middendorfianum</i>	sulphur-yellow	trailing	June-July	sunny	.15	1.50
<i>Sexangulare</i>	yellow	trailing	June-July	sunny	.15	1.50
<i>Sieboldii</i>	bright pink	6-9	Aug-Sept	sunny	.15	1.50
<i>Spectabile</i>	rose	18	Aug-Sept	sunny	.15	1.50
“ <i>Brilliant</i>	amaranth-red	18	Aug-Sept	sunny	.25	2.50
<i>Spurium</i>	pink	6	Aug-Sept	sunny	.15	1.50
“ <i>coccineum</i>	crimson	6	Aug-Sept	sunny	.15	1.50
<i>Stahli</i>	red-tinted foliage	trailing	.....	sunny	.15	1.50
<i>Stolonifera</i>	purplish-pink	trailing	July-Aug	sunny	.15	1.50




Sedum Spectabile "Brilliant."



Stokesia (Cornflower Aster).

	Color.	Height Inches.	Time of Flowering.	Location.	Price, Each.	Price, Doz.
<b>Sempervivum</b> (House Leek)						
<i>Arachnoideum</i> <i>Gnaphalium</i>	foliage effect					
<i>Brownii</i>	foliage effect					
<i>Glaucum</i>	foliage effect					
<i>Pyrenaicum</i>	foliage effect					
<i>Robustum</i>	foliage effect					
<i>Triste</i>	foliage effect					
<b>Senecio</b> (Groundsel)						
<i>Clivorum</i>	yellow	36-60	Aug-Sept	sunny or partial shade	.25	2.50
<i>Pulcher</i>	rosy-purple	18-24	July-Oct	sunny	.25	2.50
<i>Wilsonianus</i>	bright yellow	36-60	July-Aug	sunny or partial shade	.25	2.50
<b>Shortia</b>						
<i>Galacifolia</i>	white	3-6	May	shady	.25	2.50
<b>Silene</b> (Catchfly)						
<i>Alpestris</i>	white	4	July-Aug	sunny	.15	1.50
<i>Schafta</i>	pink	4-6	July-Oct	sunny	.15	1.50
<b>Silphium</b> (Cup Plant)						
<i>Perfoliatum</i>	yellow	72-96	Aug-Sept	sunny	.25	2.50
<b>Solidago</b> (Golden Rod)						
<i>Altissima</i>	yellow	120-144	October	sunny	.15	1.50
<i>Canadensis</i>	yellow	48-60	July-Sept	sunny	.15	1.50
<i>Golden Wings</i>	golden-yellow	48-60	July-Sept	sunny	.15	1.50
<i>Shortia</i>	golden-yellow	36	July-Aug	sunny	.15	1.50
<i>Virgaurea compacta</i>	deep yellow	15	Aug-Sept	sunny	.15	1.50
<b>Spigelia</b> (Carolina or Indian Pink)						
<i>Marilandica</i>	brilliant red	12-15	June-Oct	shady	.35	3.50
<b>Spiraea</b> (Goat's Beard, Meadow Sweet)						
<i>Aruncus</i>	white	36-60	June-July	partial shade	.15	1.50
<i>Chinensis</i>	silvery-pink	24	June-July	partial shade	.25	2.50
<i>Filipendula fl. pl.</i>	white	15	June-July	partial shade	.15	1.50
<i>Gigantea</i> or <i>Kamtschatica</i>	white	60-72	June-July	partial shade	.25	2.50
<i>Palmata</i>	crimson-purple	36	June-July	partial shade	.15	1.50
" <i>elegans</i>	silvery-pink	36	June-July	partial shade	.15	1.50
<i>Venusta</i>	reddish	48-60	June	partial shade	.15	1.50
" <i>magnifica</i>	intense rosy-red	48-60	June-July	partial shade	.50	6.00
<i>Ulmaria fl. pl.</i>	white	36	June-July	partial shade	.15	1.50
<b>Stachys</b> (Woundwort)						
<i>Betonica grandiflora</i>	soft rose	15	June-July	sunny	.15	1.50
<i>Lanata</i>	silvery-foliage	12-15	June-July	sunny	.15	1.50
<b>Statice</b> (Great Sea-lavender)						
<i>Gmelini</i>	violet-blue	12	June-Sept	sunny	.15	1.50
<i>Latifolia</i>	purplish-blue	18	June-Sept	sunny	.15	1.50
<i>Tatarica</i>	reddish-purple	15	June-Sept	sunny	.15	1.50
<b>Stenanthium</b> (Mountain Feather Fleece)						
<i>Robustum</i>	white	48-60	Aug-Sept	half shady	.50	5.00
<b>Stokesia</b> (Cornflower Aster)						
<i>Cyanea</i>	lavender-blue	18-24	June-Sept	sunny	.15	1.50
" <i>alba</i>	pure white	18-24	June-Sept	sunny	.15	1.50
<b>Sympphytum</b> (Comfrey)						
<i>Aspernum aureo variegatum</i>	foliage plant	15-18	.....	partial shade	.25	2.50
<b>Teucrium</b> (American Germander)						
<i>Canadense</i>	purplish-rose	18-36	July-Aug	sunny	.15	1.50
<b>Thalictrum</b> (Meadow Rue)						
<i>Adiantifolium</i>	creamy-white	18-24	June-July	partial shade	.25	2.50
<i>Aquilegialatum atropurpureum</i>	rosy-purple	24-30	May-July	partial shade	.25	2.50
" <i>album</i>	white	24-36	May-July	partial shade	.25	2.50
<i>Dipterocarpum</i>	lilac-mauve	36-60	Aug-Sept	partial shade	.50	5.00
<i>Glauceum</i>	bronzy-yellow	24	June-July	partial shade	.25	2.50
<b>Thermopsis</b>						
<i>Caroliniana</i>	yellow	36	June-July	partial shade	.25	2.50

Group of *Trillium Grandiflorum* (Wood Lily or Wake Robin).

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Each.	Price. Doz.
<i>Thymus</i> (Thyme)						
<i>Citriodorus</i>	lilac	8	June-July	sunny	\$0.15	\$1.50
<i>Lanuginosus</i>	lilac	trailing	June-July	sunny	.15	1.50
<i>Serpulium</i>	white	trailing	June-July	sunny	.15	1.50
" <i>coccineum</i>	scarlet	trailing	June-July	sunny	.15	1.50
" <i>splendens</i>	purplish-red	trailing	June-July	sunny	.15	1.50
<i>Tiarella</i> (Foam Flower)						
<i>Purpurea major</i>	salmon-red	6-12	May-June	partial shade	.15	1.50
<i>Tradescantia</i> (Spider Wort)						
<i>Virginica</i>	blue	18-30	May-Sept	sun or partial shade	.15	1.50
" <i>alba</i>	white	18-30	May-Sept	sun or partial shade	.15	1.50
<i>Tricyrtis</i> (Japanese Toad Lily)						
<i>Hirta</i>	white, spotted purple	18	Sept-Oct	partial shade	.25	2.50
<i>Macropoda striata</i>	variegated foliage	12	Sept-Oct	partial shade	.25	2.50
<i>Trillium</i> (Wood Lily, or Wake Robin)						
<i>Erectum</i>	purple	12	April	partial shade	.10	1.00
<i>Grandiflorum</i>	white	12-15	April	partial shade	.10	1.00
<i>Tritoma</i> (Red-hot Poker, Flame Flower, or Torch Lily)						
<i>Pfitzerii</i>	orange-scarlet	36-48	Aug-Oct	sunny	.25	2.50
<i>Saundersi</i>	coral-red	36	July-Aug	sunny	.35	3.50
<i>Sulphurea</i>	sulphur-yellow	30	Aug-Sept	sunny	.30	3.00
<i>Tricolor</i>	red, yellow and white	30	Aug-Oct	sunny	.25	2.50
<i>Uvaria grandiflora</i>	ochre-red and salmon	36-60	Sept-Oct	sunny	.15	1.50
<i>Trollius</i> (Globe Flower)						
<i>Asiaticus Flore croceo</i>	orange	18-24	May-July	partial shade	.25	2.50
<i>Caucasicus "Orange Globe"</i>	deep orange	18-24	May-July	partial shade	.25	2.50
<i>Europaeus</i>	bright yellow	18-24	May-July	partial shade	.25	2.50
<i>Japonicus "Excelsior"</i>	dark orange	18-24	May-July	partial shade	.25	2.50
<i>Ledebouri</i>	orange	24-30	May-July	partial shade	.50	5.00
<i>Lichtball</i>	orange-yellow	18-24	May-July	partial shade	.25	2.50
<i>Fumilus Yunnanensis</i>	golden-yellow	18	May-July	partial shade	.50	5.00
<i>Tunica</i>						
<i>Saxifraga</i>	light pink	6-8	June-Aug	sunny	.25	2.50
<i>Valeriana</i> (Spurred Flower)						
<i>Coccinea</i>	rosy-red	24	June-Oct	sunny	.15	1.50
" <i>alba</i>	white	24	June-Oct	sunny	.15	1.50
<i>Officinalis</i>	rose, tinted white	36-48	June-July	sunny	.15	1.50
<i>Veronica</i> (Speedwell)						
<i>Amethystina</i>	amethyst-blue	24	June-July	sunny	.15	1.50
<i>Incana</i>	bright blue	12	July-Aug	sunny	.15	1.50
<i>Longifolia subsessilis</i>	deep blue	18-24	July-Aug	sunny	.15	1.50
<i>Maritima</i>	light blue	24	July-Sept	sunny	.15	1.50
<i>Pectinata</i>	deep blue	trailing	May	sun or shade	.15	1.50
<i>Repens</i>	light blue	trailing	May	sunny	.15	1.50
<i>Rupestris</i>	bright blue	3-4	May-June	sunny	.15	1.50
" <i>alba</i>	white	3-4	May-June	sunny	.15	1.50
<i>Spicata</i>	blue	18	June-July	sunny	.15	1.50
" <i>alba</i>	white	18	June-July	sunny	.15	1.50
" <i>Erica</i>	pink	10-12	June-July	sunny	.50	5.00
" <i>rosea</i>	pink	18	June-July	sunny	.15	1.50
<i>Virginica</i>	white	36-48	July-Aug	sunny	.15	1.50
<i>Vinca</i> (Periwinkle, or Trailing Myrtle)						
<i>Minor</i>	blue	6-8	April-May	sun or shade	.10	1.00
" <i>aurea</i>	variegated foliage	4-6	April-May	sun or shade	.25	2.50
" <i>argentea variegata</i>	variegated foliage	4-6	April-May	sun or shade	.25	2.50
<i>Vincetoxicum</i> (Mosquito Plant)						
<i>Japonicum</i>	white	18	July	sunny	.25	2.50
<i>Viola</i> (Tufted Pansy)						
<i>Cornuta Admiratio</i>	purple	5-8	April-Oct	sun or partial shade	.10	1.00
" <i>lutea splendens</i>	yellow	5-8	April-Oct	sun or partial shade	.10	1.00
" <i>Papilio</i>	blue	5-8	April-Oct	sun or partial shade	.10	1.00
" <i>purpurea, or G. Wermig</i>	blue	5-8	April-Oct	sun or partial shade	.15	1.50
" <i>White Perfection</i>	white	5-8	April-Oct	sun or partial shade	.10	1.00
<i>Violets, Hardy Varieties</i>						
<i>Double Russian</i>	deep purple	6	April-May	sun or shade	.10	1.00
<i>Pedata</i> (Bird's Foot Violet)	blue	3-4	May-June	sunny	.10	1.00
" <i>bicolor</i>	purple and blue	3-4	May-June	sunny	.15	1.50
<i>Wahlenbergia</i>						
<i>Vincæflora</i>	gentian-blue	10-12	July-Sept	sunny	.50	5.00
<i>Wallflowers, in choice mixture</i>	all colors	12-18	May	sunny	.15	1.50
<i>Yucca</i> (Adam's Needle)						
<i>Angustifolia</i>	white	36-48	June-July	sunny	.25	2.50
<i>Filamentosa</i>	white	60-72	June-July	sunny	.25	2.50
" <i>variegata</i>	or. foliage	48-60	June-July	sunny	1.00	10.00

# DREER'S SELECT LIST OF SEEDS OF HARDY PERENNIALS

It seems appropriate in a book devoted to hardy perennials to include a list of those varieties of which we can supply seed. Many varieties of hardy plants are difficult to germinate. We confine our offer to those sorts from which the average amateur is likely to get results. The following cultural notes are contributed by Mr. Wm. Falconer, of Pittsburgh, one of the most successful growers of hardy perennials:

Hardy perennials are easily grown from seed. In many cases they are a little slower than annuals, but with intelligent care they are successfully raised, and from seed is an excellent way to get up a big stock of perennials in a short time. Many perennials, if sown in spring, bloom the first year from seed as freely as annuals. Others wait a year; that is, if sown this year they don't bloom until next year.

The seeds may be sown in spring or in summer. In spring the sowings may be made in the window, the hot bed, the cold frame, the greenhouse or in the open ground out of doors. In the window prepare pots or flower-pans or small, shallow wooden boxes or flats; fill to one-third their depth with fine broken cinders or broken pots, and over this place a thin layer of moss, chopped straw or rough siftings from the soil to keep the dirt from clogging the drainage; then fill up to within one-half or three-quarters inches of the brim with fine, free, mellow soil, with thin layer of very fine soil over it. Tamp the pot on table to firm the soil a little. Now sow the seed evenly, and shake a very little fine soil over it; press it all over with the back of the hand or a board, then water gently through a fine spray or rose; this done strew a little fine earth over all. In the case of very fine seeds covering only enough to hide the seed is plenty, but Pinks, Gaillardias and other rougher seeded sorts one-eighth inch deep of covering may be given. Keep the seed pots in a warm, sunny window, but shaded with a thin curtain from drying sunshine. A sheet of paper laid over the pot at this time prevents over-drying, but when the sunshine passes, take off the paper, else damp or mold will set in. A pane of glass laid over the pots or flats until germination appears is an excellent preservative of the moisture in the soil, but always tilt it up at one side one-eighth of an inch or more. When the seedlings come up, give them more light by keeping them close to the glass, and before they overcrowd one another or become spindly transplant them into other pots or flats, three-quarters or one inch apart from one another, according to their size and strength. As the weather gets mild, by placing the seedlings in a cool and airy place, as on the porch or a sheltered place out of doors, they become fairly inured to the open weather, and when they are large enough for final transplanting set them out in the garden.

The amateur may have more success and less bother growing hardy perennials from seeds sown in the open ground than in any other way. Prepare a bed in a nice, warm, sheltered spot in the garden, preferably not very sunny; let the surface of the bed be raised four or five inches above the general level, and the soil be a mellow, free, fine earth on the surface. Draw shallow rows across the surface of the bed, three to four inches apart, and here sow the seed, keeping the varieties of one kind or nature as much together as practicable; cover the seeds thinly, press the whole surface gently, water moderately, then dust a little fine, loose soil over all. If the weather is sunny or windy, shade with papers or a few branches, but remove these in the evening. When the seedlings come up thin them out to stiffen those that are left, and when they are two or three inches high, they are fit for transplanting into permanent quarters. All this should be done in early spring, say March, April or May, or in warmer localities a month earlier.


Again, in July or August perennials are very easily raised out of doors, and much in the same way as above. Transplant these seedlings in late August or early September to get well-rooted stocky plants before winter sets in.

## ALPHABETICAL LIST OF HARDY PERENNIAL SEEDS

In ordering it is only necessary to give the numbers

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
<b>Achillea</b> (Milfoil, or Yarrow).					
1021 <b>Ptarmica, "The Pearl"</b> .....	white	6-8	April-May	sunny	1/4 oz., 25 cts. \$0.05
<b>Aconitum</b> (Monk's Hood, or Wolfsbane).					
1031 <b>Napellus</b> .....	dark blue	36-60	Aug-Sept	shady	1/4 oz., 40 cts. .10
<b>Adlumia</b> (Mountain Fringe, Allegheny Vine, or Climbing Fumitory).					
1051 <b>Cirrhosa</b> .....	flesh-pink	climber	June-July	sun or partial shade	.15
<b>Agrostemma</b> (Rose of Heaven, Mullein Pink).					
1090 <b>Coronaria</b> .....	crimson	24-30	June-July	sunny	1/4 oz., 15 cts. .05
<b>Alyssum</b> (Mad Wort).					
1104 <b>Saxatile Compactum</b> .....	yellow	12	May	sunny	1/4 oz., 30 cts. .10
<b>Amelopsis</b> (Boston, or Japanese Ivy).					
1131 <b>Veitchi</b> .....	or. foliage	climber		sun or partial shade	1 oz., 40 cts. .10
<b>Anchusa</b> (Alkanet or Bugloss).					
1138 <b>Italica Dropmore Variety</b> .....	blue	36-60	May-July	sunny	1/4 oz., 50 cts. .15
<b>Anemone</b> (Windflower).					
1140 <b>Coronaria Mixed</b> .....	various	12	April-May	sunny	.05
1146 <b>St. Brigid</b> .....	various	12	April-May	sunny	.15
<b>Anthemis</b> (Marguerite).					
1150 <b>Tinctoria Kelwayi</b> .....	golden-yellow	24	June-Oct	sunny	1/4 oz., 30 cts. .10
<b>Antirrhinum</b> (Snapdragon).					
1160 <b>Majus or Tall Mixed</b> .....	various	36	July-Nov	sunny	1/4 oz., 20 cts. .05
1162 <b>Large-flg. Half-Dwarf Daphne</b> .....	blush-pink	18	July-Nov	sunny	.10
1163 " " " " <b>Defiance</b> .....	russet-red	18	July-Nov	sunny	.10
1164 " " " " <b>Golden Queen</b> .....	yellow	18	July-Nov	sunny	.10
1165 " " " " <b>Firebrand</b> .....	rich red	18	July-Nov	sunny	.10
1166 " " " " <b>Rose Queen</b> .....	rose	18	July-Nov	sunny	.10
1167 " " " " <b>Mont Blanc</b> .....	white	18	July-Nov	sunny	.10
1170 " " " " <b>Mixed</b> .....	various	18	July-Nov	sunny	1/8 oz., 25 cts. .10
1171 <b>Giant Scarlet</b> .....	scarlet	36	July-Nov	sunny	.10
1172 " <b>White</b> .....	white	36	July-Nov	sunny	.10
1173 " <b>Yellow</b> .....	yellow	36	July-Nov	sunny	.10
1174 " <b>Garnet</b> .....	garnet	36	July-Nov	sunny	.10
1175 " <b>Pink</b> .....	pink	36	July-Nov	sunny	.10
1176 " <b>Rose</b> .....	rose	36	July-Nov	sunny	.10
1180 " <b>Mixed</b> .....	various	36	July-Nov	sunny	1/4 oz., 25 cts. .10
<b>Aquilegia</b> (Columbine).					
1181 <b>Californica hybrida</b> .....	various	24-36	May-June	sunny	1/4 oz., 50 cts. .10
1183 <b>Chrysanthia</b> .....	yellow	24-36	June	sunny	1/4 oz., 30 cts. .10
1184 " <b>alba</b> .....	white	24-36	June	sunny	1/4 oz., 50 cts. .10
1185 <b>Coerulea</b> .....	blue	24-36	June	sunny	1/4 oz., 30 cts. .10
1186 " <b>hybrida</b> .....	various	24-36	June	sunny	1/4 oz., 50 cts. .10
1187 <b>Elabellata nana alba</b> .....	white	15	June	sunny	1/4 oz., 25 cts. .10
1195 <b>Helene</b> .....	blue and white	24	June	sunny	.15
1196 <b>Truncata</b> .....	scarlet and yellow	24-36	May-June	sunny	.10
1197 <b>Nivea Grandiflora</b> .....	white	24-36	June	sunny	1/4 oz., 25 cts. .05
1198 <b>Vulgaris</b> .....	violet-blue	24-36	May-June	sunny	1/4 oz., 25 cts. .05
1206 <b>Veitch's Long-Spurred Hybrids</b> .....	various	24-36	May-June	sunny	.15
1207 <b>Double Mixed</b> .....	various	24-36	May-June	sunny	1 oz., 50 cts. .05
1210 <b>Single Mixed</b> .....	various	24-36	May-June	sunny	1 oz., 40 cts. .05

	Color.	Height Inches.	Time of Flowering.	Location.	Price, Per Pkt.
<b>Arabis (Rock Cress).</b>					
1211 <b>Alpina</b> .....	white	6-8	April-May	sunny	1/4 oz., 25 cts. .05
<b>Armeria (Sea Pink or Thrift).</b>					
1221 <b>Formosa</b> .....	rosy-pink	9	June-Aug	sunny	.10
<b>Aster (Michaelmas Daisies).</b>					
1400 <b>Hardy Perennial Mixed</b> .....	various	24-36	Aug-Oct	sunny	1/4 oz., 50 cts. .10
<b>Auricula (Primula).</b>					
1500 <b>Choice Mixed</b> .....	various	6	April	partial shade	.15
<b>Bellis (English Double Daisy).</b>					
1591 <b>Longfellow</b> .....	pink	4	April-May	sunny	.10
1593 <b>Ranunculiflora alba</b> .....	white	4	April-May	sunny	.15
1594 " <b>rosea</b> .....	rosy-pink	4	April-May	sunny	.15
1595 <b>Giant White</b> .....	white	4	April-May	sunny	.25
1596 " <b>Rose</b> .....	rose	4	April-May	sunny	.25
1597 <b>The Bride, or Improved Snowball</b> .....	white	4	April-May	sunny	.10
1598 <b>Double Quilled</b> .....	various	4	April-May	sunny	.20
1600 " <b>Mixed</b> .....	various	4	April-May	sunny	1/8 oz., 50 cts. .10
<b>Bocconia (Plume Poppy, or Tree Celandine).</b>					
1611 <b>Cordata</b> .....	creamy-white	60-96	July-Aug	sunny	1/4 oz., 25 cts. .05
<b>Boltonia (False Chamomile).</b>					
1615 <b>Asteroides</b> .....	white	48-72	July-Sept	sunny	.10
1616 <b>Latisquama</b> .....	pink	48-72	July-Sept	sunny	.10
<b>Campanula (Bellflower).</b>					
1721 <b>Carpathica</b> .....	blue	6	June-Oct	sunny	1/4 oz., 40 cts. .10
1720 " <b>alba</b> .....	white	6	June-Oct	sunny	1/4 oz., 40 cts. .10
1724 <b>Persicifolia Grandiflora</b> .....	blue	24-36	June-July	sunny	.15
1725 " <b>alba</b> .....	white	24-36	June-July	sunny	.15
1728 <b>Pyramidalis</b> .....	blue	48-60	August	sunny	1/4 oz., 30 cts. .05
1729 " <b>alba</b> .....	white	48-60	August	sunny	1/4 oz., 30 cts. .05
1736 <b>Medium Calycanthema Rose Pink</b> .....	rose-pink	36	May-June	sunny	.15
1735 " <b>Blue</b> .....	blue	36	May-June	sunny	.15
1738 " <b>White</b> .....	white	36	May-June	sunny	.15
1740 " <b>Finest Mixed</b> .....	various	36	May-June	sunny	1/4 oz., 75 cts. .10
1734 " <b>Double Flowering</b> .....	various	36	May-June	sunny	.25
1744 " <b>Single Dark Blue</b> .....	dark blue	36	May-June	sunny	.10
1745 " <b>Light Blue</b> .....	light blue	36	May-June	sunny	.10
1746 " <b>Rose</b> .....	rose	36	May-June	sunny	.10
1747 " <b>White</b> .....	white	36	May-June	sunny	.10
1743 " <b>Mixed</b> .....	various	36	May-June	sunny	1/4 oz., 25 cts. .05
1741 " <b>Double Mixed</b> .....	various	36	May-June	sunny	1/4 oz., 40 cts. .10
<b>Carnation.</b>					
1850 <b>Hardy Border Double Mixed</b> .....	various	18	June-July	sunny	1/4 oz., 50 cts. .10
<b>Cerastium (Snow in Summer).</b>					
1911 <b>Tomentosum</b> .....	white	6	June	sunny	.15
<b>Chrysanthemum.</b>					
1944 <b>Japanese Hybrids</b> .....	various	18-24	Oct-Nov	sunny	.25
1945 <b>Double Early-flowering</b> .....	various	18-24	Sept-Nov	sunny	.25
1951 <b>Hardy Pompon</b> .....	various	18-24	Oct-Nov	sunny	.25
1946 <b>Maximum King Edward VII</b> .....	white	24	June-Oct	sunny	.15
1948 <b>Shasta Daisy Alaska</b> .....	white	24	June-Oct	sunny	.25
1950 <b>Shasta Daisy Mixed Seedlings</b> .....	white	24	June-Oct	sunny	.15
<b>Coreopsis.</b>					
2071 <b>Lanceolata Grandiflora</b> .....	yellow	24-36	June-Sept	sunny	1/4 oz., 25 cts. .10
<b>Cowslip (Primula Veris).</b>					
2110 <b>Mixed</b> .....	various	6	April	partial shade	.10
2112 <b>Invincible Giant</b> .....	various	12-15	April	partial shade	.25
<b>Delphiniums (Hardy Larkspurs).</b>					
2223 <b>Chinese</b> .....	gentian-blue	18-24	June-Sept	sunny	1/4 oz., 25 cts. .05
2222 " <b>album</b> .....	white	18-24	June-Sept	sunny	1/4 oz., 25 cts. .05
2225 <b>Elatum</b> .....	blue	36-60	June-Sept	sunny	1/4 oz., 30 cts. .10
2231 <b>Formosum</b> .....	dark blue	30-48	June-Sept	sunny	1/4 oz., 30 cts. .05
2232 " <b>Coelestium</b> .....	sky-blue	36-48	June-Sept	sunny	1/4 oz., 50 cts. .15
2216 <b>Hybridum Amos Perry</b> .....	blue and mauve	36-60	June-Sept	sunny	.25
2218 " <b>Belladonna</b> .....	turquoise-blue	36-48	June-Sept	sunny	.25
2221 " <b>Carmen</b> .....	gentian-blue	36-60	June-Sept	sunny	.25
2224 " <b>Duke of Connaught</b> .....	Oxford-blue	36-48	June-Sept	sunny	.25
2233 " <b>Julia</b> .....	azure blue	36-60	June-Sept	sunny	.25
2241 " <b>King of Delphiniums</b> .....	rich gentian-blue	60-72	June-Sept	sunny	.25
2244 " <b>Lizzie</b> .....	azure blue	36-60	June-Sept	sunny	.25
2246 " <b>Queen Wilhelmina</b> .....	lavender	36-60	June-Sept	sunny	.25
2247 " <b>Rev. E. Lascelles</b> .....	violet-blue	36-60	June-Sept	sunny	.25
2248 " <b>Zuster Lugten</b> .....	Oxford-blue	36-60	June-Sept	sunny	.25
2236 " <b>Double Mixed</b> .....	various	36-60	June-Sept	sunny	1/4 oz., 50 cts. .15
2238 " <b>Gold Medal Hybrids Mixed</b> .....	various	36-60	June-Sept	sunny	1/4 oz., 50 cts. .15
<b>Dianthus (Hardy Garden Pinks).</b>					
2340 <b>Plumarius Single</b> .....	various	12	May-June	sunny	1/4 oz., 25 cts. .05
2337 " <b>Double</b> .....	various	12	May-June	sunny	1/4 oz., 50 cts. .10
2338 " <b>Dwarf Double Erfurt</b> .....	various	10	May-June	sunny	.15
2336 " <b>Semperflorens</b> .....	various	12	May-June	sunny	.25
2342 <b>Latifolius Atrococcineus fl. pl.</b> .....	crimson-scarlet	12	June-Sept	sunny	.15
2343 " <b>Double Mixed</b> .....	various	12	June-Sept	sunny	1/4 oz., 50 cts. .10
<b>Dianthus Barbatus (Sweet William, London Tufts).</b>					
4283 <b>Single Crimson</b> .....	crimson	18	June	sunny	.05
4284 " <b>Red on white ground</b> .....	red and white	18	June	sunny	.05
4285 " <b>Scarlet</b> .....	scarlet	18	June	sunny	.05
4286 " <b>Velvety Maroon</b> .....	maroon	18	June	sunny	.05
4287 " <b>Violet on white ground</b> .....	violet and white	18	June	sunny	.05
4288 " <b>White</b> .....	white	18	June	sunny	.05
4292 " <b>Mixed</b> .....	various	18	June	sunny	1 oz., 40 cts. .05
4281 " <b>Scarlet Beauty</b> .....	scarlet	18	June	sunny	.15
4282 " <b>Newport Pink</b> .....	salmon-pink	18	June	sunny	.15
4291 " <b>Holborn Glory</b> .....	various	18	June	sunny	1/4 oz., 25 cts. .10
4297 <b>Double Mixed</b> .....	various	18	June	sunny	1/4 oz., 30 cts. .10
4296 " <b>Giant Mixed</b> .....	various	18	June	sunny	1/4 oz., 50 cts. .15
<b>Digitalis (Foxglove).</b>					
2356 <b>Gloxiniaeflora, Purple</b> .....	purple	48-72	June-July	sun or partial shade	1/4 oz., 30 cts. .10
2357 " <b>Rose</b> .....	rose	48-72	June-July	sun or partial shade	1/4 oz., 30 cts. .10
2358 " <b>White</b> .....	white	48-72	June-July	sun or partial shade	1/4 oz., 30 cts. .10
2360 " <b>Mixed</b> .....	various	48-72	June-July	sun or partial shade	1/4 oz., 25 cts. .05



Campanula Medium (Canterbury Bells).



Chrysanthemum Shasta Daisy Alaska.



Hesperis (Sweet Rocket).

**Digitalis**—Continued

	Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
2366 <i>Grandiflora</i>	pale yellow	24-36	June-July	sun or partial shade	1/4 oz., 25 cts. \$0.05
2367 <i>Maculata Superba</i>	various	48-72	June-July	sun or partial shade	1/4 oz., 30 cts. .10
2370 <i>Monstrosa</i>	various	48-72	June-July	sun or partial shade	1/4 oz., 40 cts. .10

**Echinops** (Globe Thistle).

2404 <i>Ritro</i>	steel-blue	36-60	July-Sept	sunny	.10
-------------------	------------	-------	-----------	-------	-----

**Eryngium** (Sea Holly).

2421 <i>Amethystinum</i>	blue	24-36	July-Aug	sunny	.15
--------------------------	------	-------	----------	-------	-----

**Eupatorium** (Thorough Wort).

2442 <i>Ageratoides</i>	white	24	June-Oct	sunny	.10
2443 <i>Celestinum</i>	lavender-blue	18-24	Aug-Sept	sunny	.10
2441 <i>Fraseri</i>	white	18	Aug-Oct	sunny	.10

**Gaillardia** (Blanket Flower).

2502 <i>Grandiflora Compacta</i>	various	12-15	June-Nov	sunny	1/4 oz., 50 cts. .15
2503 " <i>Kermesina Splendens</i>	crimson	24	June-Nov	sunny	.15
2505 " <i>Copper-red</i>	coppery-red	24	June-Nov	sunny	.20
2510 " <i>Superb Mixed</i>	crimson & orange	24	June-Nov	sunny	1/4 oz., 30 cts. .10

**Gaura**.

2511 <i>Lindheimeri</i>	rosy-white	36-48	July-Oct	sunny	1/4 oz., 25 cts. .05
-------------------------	------------	-------	----------	-------	----------------------

**Geum** (Avens).

2541 <i>Atrosanguineum fl. pl.</i>	crimson	15	May-July	sunny	1/4 oz., 40 cts. .10
------------------------------------	---------	----	----------	-------	----------------------

**Grasses, Ornamental.**

2640 <i>Arundo Donax</i>	grass	96-240	October	sunny	.10
2647 <i>Eulalia Japonica Zebrina</i>	grass	72-84	Sept-Oct	sunny	.10
2648 " <i>Variegata</i>	grass	72-84	Sept-Oct	sunny	.10
2651 <i>Gynerium Argenteum</i>	grass	96-120	October	sunny	.10
2656 <i>Pennisetum Japonicum</i>	grass	48	Sept-Oct	sunny	.10
2658 <i>Stipa Pennata</i>	grass	24	July-Aug	sunny	.10
2661 <i>Uniola Latifolia</i>	grass	36-48	Sept-Oct	sunny	.10

**Gypsophila** (Baby's Breath).

2692 <i>Paniculata</i>	white	24-36	Aug-Sept	sunny	1/4 oz., 20 cts. .05
2695 " <i>Double Flowering</i>	white	24-36	Aug-Sept	sunny	.20
2698 <i>Acutifolia</i>	white	36-48	Aug-Sept	sunny	1/4 oz., 25 cts. .05

**Heliotrope** (Sneeze Wort).

2711 <i>Autumnale Superbum</i>	yellow	60-72	Aug-Sept	sunny	.10
2713 <i>Riverton Gem</i>	wallflower red	36-48	Aug-Sept	sunny	.15
2714 <i>Riverton Beauty</i>	lemon yellow	36-48	Aug-Sept	sunny	.15

**Helianthus** (Sunflower).

2705 <i>Hardy sorts mixed</i>	yellow	48-84	July-Oct	sunny	1/4 oz., 50 cts. .15
-------------------------------	--------	-------	----------	-------	----------------------

**Helianthus** (Orange Sunflower).

2731 <i>Pitcheriana</i>	golden-yellow	36-48	June-Aug	sunny	1/4 oz., 30 cts. .10
2732 <i>Scabra Zinniæflora</i>	deep yellow	24-30	June-Aug	sunny	.15

**Hesperis** (Sweet Rocket).

4278 <i>Mixed</i>	various	24-36	June-Aug	sunny	1 oz., 30 cts. .05
-------------------	---------	-------	----------	-------	--------------------

**Heuchera** (Alum Root or Coral Bells).

2761 <i>Sanguinea</i>	coral-red	18-24	July-Aug	sunny	.15
-----------------------	-----------	-------	----------	-------	-----

**Hibiscus** (Marshmallow).

2772 <i>Crimson Eye</i>	white	36-48	July-Sept	sunny	.10
2774 <i>Moscheutos</i>	pink	36-48	July-Sept	sunny	.05
2775 <i>New Giant Marshmallow</i>	various	60-96	July-Sept	sunny	.15


**Hollyhock.**

2782 <i>Double Maroon</i>	maroon	72-96	June-July	sunny	1/4 oz., 40 cts. .10
2783 " <i>Bright Rose</i>	rose	72-96	June-July	sunny	1/4 oz., 40 cts. .10
2784 " <i>Bright Red</i>	red	72-96	June-July	sunny	1/4 oz., 40 cts. .10
2785 " <i>Salmon Rose</i>	salmon	72-96	June-July	sunny	1/4 oz., 40 cts. .10
2786 " <i>White</i>	white	72-96	June-July	sunny	1/4 oz., 40 cts. .10
2787 " <i>Yellow</i>	yellow	72-96	June-July	sunny	1/4 oz., 40 cts. .10
2790 " <i>Extra Choice Mixed</i>	various	72-96	June-July	sunny	1/4 oz., 30 cts. .10

		Color.	Height Inches.	Time of Flowering.	Location.	Price. Per Pkt.
<b>Hollyhock—Continued</b>						
2781 Double "Allegheny"	various	72-96	June-July	sunny	1/4 oz., 30 cts.	\$.10
2791 " Newport Pink	pink	72-96	June-July	sunny		.15
2793 Single Black Maroon	maroon	72-96	June-July	sunny		.15
2794 " Mauve	mauve	72-96	June-July	sunny		.15
2795 " Pink	pink	72-96	June-July	sunny		.15
2796 " Red	red	72-96	June-July	sunny		.15
2797 " White	white	72-96	June-July	sunny		.15
2798 " Yellow	yellow	72-96	June-July	sunny		.15
2780 " Mixed	various	72-96	June-July	sunny	1/4 oz., 30 cts.	.10
<b>Iberis (Hardy Candytuft).</b>						
1771 <i>Gibraltarica</i> <i>Hybrida</i>	lilac-white	10-12	May-June	sunny		.10
1772 <i>Sempervirens</i>	white	10-12	May-June	sunny		.15
<b>Iris (Japanese Flowering Flag).</b>						
2809 <i>Kaempferi</i>	various	36-48	June-July	sunny	1/4 oz., 25 cts.	.10
<b>Lathyrus (Everlasting, or Hardy Sweet Pea).</b>						
2954 <i>Latifolius</i> "White Pearl"	white	climber	June-Oct	sunny		.15
2955 " Pink Beauty	rosy-pink	climber	June-Oct	sunny		.10
2960 " Mixed	various	climber	June-Oct	sunny	1 oz., 40 cts.	.05
<b>Lavandula (Lavender).</b>						
2971 <i>Vera</i>	blue	18-36	July	sunny	1/4 oz., 25 cts.	.10
<b>Liatris (Blazing Star, or Gay Feather).</b>						
2982 <i>Mixed</i>	purple	36-48	July-Sept	sunny		.10
<b>Linaria (Kenilworth Ivy).</b>						
2991 <i>Cymbalaria</i>	lav'der & purple	trailing	July-Sept	sun or shade		.10
<b>Linum (Flax).</b>						
3003 <i>Perenne</i>	blue	18	June-Sept	sunny		.10
3004 <i>Narbonnense</i>	blue	24	June-Sept	sunny		.25
<b>Lobelia (Cardinal Flower).</b>						
3031 <i>Cardinalis</i>	cardinal-red	24-36	Aug-Sept	sunny		.15
<b>Lunaria (Honesty, Moonwort, Satin Flower).</b>						
2801 <i>Biennis alba</i>	white	24	Aug-Sept	sunny	1/4 oz., 20 cts.	.05
<b>Lupinus (Lupine).</b>						
3052 <i>Polyphyllus</i> <i>Rose</i>	rose	24-48	May-June	sunny		.10
3053 " <i>White</i>	white	24-48	May-June	sunny		.10
3054 " <i>Blue</i>	blue	24-48	May-June	sunny		.10
3055 " <i>Moerheimi</i>	rose and pink	24-48	May-June	sunny		.15
3060 " <i>New Hybrids</i>	various	24-48	May-June	sunny		.25
3051 " <i>Mixed</i>	various	24-48	May-June	sunny	1 oz., 30 cts.	.05
<b>Lychinis (Rose Campion, Jerusalem Cross).</b>						
3061 <i>Chalcedonica</i>	orange-scarlet	24-36	June-July	sunny	1/4 oz., 25 cts.	.05
3062 <i>Haageana</i> <i>Hybrids</i>	various	12	June-July	sunny	1/4 oz., 40 cts.	.10
<b>Lythrum (Loose-strife).</b>						
3071 <i>Roseum</i> <i>Superbum</i>	rose	36-48	July-Sept	sun or partial shade	1/4 oz., 40 cts.	.10
<b>Matricaria (Feverfew).</b>						
3121 <i>Capensis alba plena</i>	white	18	June-Oct	sunny		.10
<b>Mysotis (Forget-me-not).</b>						
3231 <i>Alpestris</i> <i>Royal Blue</i>	indigo-blue	9	April-May	sunny		.15
3233 " <i>Robusta Grandiflora</i>	clear blue	10	April-May	sunny		.10
3234 " <i>Stricta Grandiflora</i>	light blue	10	April-May	sunny		.10
3235 " <i>Victoria</i>	azure blue	9	April-May	sunny		.10
3239 " <i>Mixed</i>	various	10	April-May	sunny	1/4 oz., 25 cts.	.05
3236 <i>Dissitiflora</i>	blue	9	April-May	sunny		.10
3237 <i>Palustris</i>	clear blue	10	May-Sept	sunny		.10
3238 " <i>Semperflorens</i>	clear blue	10	May-Sept	sunny		.10
<b>Enothera (Evening Primrose).</b>						
3435 <i>Missouriensis</i>	yellow	12	June-Sept	sunny		.10
<b>Pansy.</b>						
3488 <i>Giant Adonis</i>	lavender	4-6	April-Oct	sun or partial shade		.10
3495 " <i>Emperor William</i>	deep blue	4-6	April-Oct	sun or partial shade		.10
3496 " <i>Fire King</i>	mahogany & yellow	4-6	April-Oct	sun or partial shade		.10
3490 " <i>Freya</i>	wine color & white	4-6	April-Oct	sun or partial shade		.10
3489 " <i>Golden Queen</i>	rich yellow	4-6	April-Oct	sun or partial shade		.10
3497 " <i>Lord Beaconsfield</i>	purple & white	4-6	April-Oct	sun or partial shade		.10
3491 " <i>Prince Henry</i>	royal blue	4-6	April-Oct	sun or partial shade		.10
3487 " <i>Rainbow</i>	red, white & blue	4-6	April-Oct	sun or partial shade		.10
3498 " <i>Snow Queen</i>	white	4-6	April-Oct	sun or partial shade		.10
3492 " <i>Psyche</i>	purple & white	4-6	April-Oct	sun or partial shade		.10
3493 " <i>White</i>	white, dark eye	4-6	April-Oct	sun or partial shade		.10
3494 " <i>Yellow</i>	yellow, dark eye	4-6	April-Oct	sun or partial shade		.10
3510 <i>Royal Exhibition Mixture</i>	various	4-6	April-Oct	sun or partial shade	2,000 seeds, \$1.25	.50
3512 <i>Cassier's Giant Mixed</i>	various	4-6	April-Oct	sun or partial shade	1/8 oz., 75 cts.	.25
3513 <i>Giant Parisian Mixed</i>	various	4-6	April-Oct	sun or partial shade	1/4 oz., 75 cts.	.15
3514 <i>Premium Mixture</i>	various	4-6	April-Oct	sun or partial shade	1/8 oz., 75 cts.	.25
3515 <i>English Finest Mixed</i>	various	4-6	April-Oct	sun or partial shade	1/4 oz., 50 cts.	.10
3516 <i>Masterpiece or Frilled</i>	various	4-6	April-Oct	sun or partial shade	1/8 oz., \$1.00	.25
3517 <i>Mine Perret</i>	various	4-6	April-Oct	sun or partial shade	1/8 oz., 60 cts.	.25
3500 <i>Giant Trimardeau Mixed</i>	various	4-6	April-Oct	sun or partial shade	1/4 oz., 50 cts.	.10
3520 <i>Good Mixed</i>	various	4-6	April-Oct	sun or partial shade	1/4 oz., 25 cts.	.05
<b>Papaver (Poppies).</b>						
3733 <i>Iceland Bright Yellow</i>	yellow	9-15	April-Sept	sunny		.10
3734 " <i>Pure White</i>	white	9-15	April-Sept	sunny		.10
3736 " <i>Orange Scarlet</i>	orange-scarlet	9-15	April-Sept	sunny		.10
3740 " <i>Finest Mixed</i>	various	9-15	April-Sept	sunny	1/4 oz., 25 cts.	.10
3735 " <i>New Hybrid Mixed</i>	various	9-15	April-Sept	sunny		.15
3731 <i>Bracteatum</i>	orange-scarlet	36-42	May-June	sunny	1/4 oz., 25 cts.	.05
3747 <i>Oriental</i>	crimson	36-42	May-June	sunny	1/4 oz., 25 cts.	.05
3748 " <i>Mammoth</i>	scarlet	36-42	May-June	sunny		.15
3744 " <i>Princess Victoria Louise</i>	salmon-pink	36-42	May-June	sunny		.15
3745 " <i>Mrs. Perry</i>	salmon	36-42	May-June	sunny		.15
3742 " <i>Goliath</i>	vermilion	36-42	May-June	sunny		.15
3743 " <i>Perry's White</i>	white	36-42	May-June	sunny		.25
3750 " <i>Mixed Hybrids</i>	various	36-42	May-June	sunny	1/4 oz., 50 cts.	.15
<b>Pentstemon (Beard Tongue).</b>						
3532 <i>Gloxinoideas "Sensation"</i>	various	24	July-Oct	sunny		.15
3533 <i>Barbatus Torreyii</i>	coral red	36-48	June-Aug	sunny		.10
3540 <i>Mixed</i>	various	24-36	June-Aug	sunny		.05
<b>Phlox.</b>						
3461 <i>Decussata Mixed</i>	various	24-36	July-Oct	sunny	1/4 oz., 50 cts.	.10



Iris Kämpferi (Japanese Iris).



Pyrethrum Uliginosum Stellatum.




Viola (Tufted Pansies).

	Color.	Height Inches.	Time of Flowering.	Location.	Price, Per Pkt.
<b>Physostegia</b> (False Dragon Head).					
3651 <i>Virginica</i> .....	soft pink	36-48	July-Sept	sunny	\$0.10
3652 " <i>alba</i> .....	white	36-48	July-Sept	sunny	.10
<b>Platycodon</b> (Balloon Flower, Japanese Bell-flower).					
3661 <i>Japonicus</i> fl. pl. .....	deep blue	24	July-Sept	sunny	.15
3662 <i>Mariesi</i> .....	violet-blue	18	July-Sept	sunny	.05
3663 <i>Grandiflorum</i> .....	steel-blue	24-30	July-Sept	sunny	.95
3664 " <i>album</i> .....	white	24-30	July-Sept	sunny	.05
<b>Primula</b> (Cowslip, Polyanthus, Primrose).					
1500 <i>Auricula</i> .....	various	6	April	partial shade	.15
2110 <i>Veris</i> Mixed (Cowslip) .....	various	6	April-May	partial shade	.10
2112 " <i>Invincible Giant</i> .....	various	12-15	April-May	partial shade	.25
3676 <i>Elatior</i> Gold-laced (Polyanthus) .....	various	9	April-May	partial shade	.15
3677 " <i>Invincible Giant</i> .....	various	12-15	April-May	partial shade	.25
3680 " <i>English Mixed</i> .....	various	9	April-May	partial shade	.10
3825 <i>Japonica</i> .....	various	12	April-May	partial shade	.15
3830 <i>Vulgaris</i> (English Primrose) .....	yellow	6	April	partial shade	.10
<b>Pueraria</b> (Japanese Kudzu Vine).					
3835 <i>Thunbergiana</i> .....	rosy-purple	climber	August	sun or shade	.10
<b>Pyrethrum.</b>					
3846 <i>Hybridum</i> Single Flowering .....	various	18-24	June-July	sunny	.10
3847 " <i>Grandiflorum</i> .....	various	18-24	June-July	$\frac{1}{4}$ oz., 75 cts.	.15
3845 " Double Flowering .....	various	18-24	June-July	sunny	.25
3851 <i>Uliginosum</i> <i>Stellatum</i> (Giant Daisy) .....	white	36-60	Aug-Sept	sunny	.15
<b>Rosmarinus</b> (Rosemary).					
3895 <i>Officinalis</i> .....	purple	24-36	June-July	$\frac{1}{4}$ oz., 15 cts.	.05
<b>Rudbeckia</b> (Cone Flower).					
3902 <i>Newmani</i> .....	orange	36	July-Sept	sunny	.15
3903 <i>Purpurea</i> .....	reddish-purple	36	July-Oct	$\frac{1}{4}$ oz., 30 cts.	.10
3906 <i>Fulgida</i> .....	orange	36	Aug-Sept	sunny	.15
<b>Salvia.</b>					
3928 <i>Azorea Grandiflora</i> .....	sky-blue	36-48	Aug-Sept	sunny	.10
3929 <i>Farinacea</i> .....	light blue	24-30	July-Oct	sunny	.10
3930 <i>Uliginosa</i> .....	cornflower-blue	48-72	June-Oct	sunny	.25
<b>Scabiosa</b> (Blue Bonnet).					
3941 <i>Caucasica</i> .....	lilac-blue	18-24	June-Sept	sunny	.10
3942 <i>Japonica</i> .....	lavender	18-24	July-Sept	$\frac{1}{8}$ oz., 25 cts.	.10
<b>Statice</b> (Sea Lavender).					
3997 <i>Latifolia</i> .....	purplish-blue	18	June-Sept	sunny	.10
4000 <i>Mixed</i> .....	various	18	June-Sept	sunny	.10
<b>Stokesia</b> (Cornflower Aster).					
4051 <i>Cyanea</i> .....	lavender	18-24	June-Sept	sunny	.10
4052 " <i>alba</i> .....	white	18-24	June-Sept	$\frac{1}{4}$ oz., 40 cts.	.10
4060 " <i>New Colors Mixed</i> .....	various	18-24	June-Sept	sunny	.15
<b>Solidago</b> (Golden Rod).					
2601 <i>Canadensis</i> .....	yellow	48-60	July-Sept	sunny	.10
<b>Tritoma</b> (Red-hot Poker, Flame Flower or Torch Lily).					
4330 <i>Hybrida</i> .....	various	36-48	Aug-Oct	sunny	.15
<b>Tunica.</b>					
4335 <i>Saxifraga</i> .....	light pink	6-8	June-Aug	sunny	.10
<b>Valeriana</b> (Valerian).					
4340 <i>Rubra Mixed</i> .....	various	24	June-Oct	sunny	.05
<b>Viola</b> <i>Cornuta</i> (Tufted Pansies).					
4401 <i>Papilio</i> .....	violet-lilac	5-8	April-Oct	sun or partial shade	.10
4402 <i>Lutea Splendens</i> .....	yellow	5-8	April-Oct	sun or partial shade	.10
4403 <i>Blue Perfection</i> .....	deep blue	5-8	April-Oct	sun or partial shade	.10
4404 <i>Thuringia</i> .....	violet & blue	5-8	April-Oct	sun or partial shade	.15
4405 <i>White Perfection</i> .....	white	5-8	April-Oct	sun or partial shade	.10
4406 <i>Admirabilis</i> .....	blotched	5-8	April-Oct	sun or partial shade	.10
4410 <i>Mixed</i> .....	various	5-8	April-Oct	sun or partial shade	.10
<b>Wallflower.</b>					
4415 <i>Paris Extra Early</i> .....	various	12-18	July-Sept	sunny	.10
4414 <i>Goliath</i> .....	dark red	12-18	May	sunny	.10
4420 <i>Single Mixed</i> .....	various	12-18	May	sunny	.05
4430 <i>Double Finest Mixed</i> .....	various	12-18	May	sunny	.10


# DREER'S LAWN GRASS SEEDS

It makes no difference where you are located, or what conditions are to be overcome, we have a Lawn Grass Mixture that will be suited to the purpose, as we have made a careful study of all requirements for the production of high-class turf for every purpose.



## DREER'S LAWN GRASS

Ordinary lawn grass will not hold the soil on terraces and embankments, which require a thick turf, composed of varieties which make strong roots to take hold of the soil and prevent washing by heavy rains. Our Terrace Grass is a carefully prepared combination of such grasses as will fill the requirements by making a quick growth of grass which will form a strong mat and present a good appearance. It will grow well anywhere, but it is best to enrich the soil, in order to provide nourishment to the young roots and give a vigorous start to their growth. Per qt., 30 cts., postpaid. By express or freight (at purchaser's expense), qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bushel (20 lbs.), \$5.00.




## DREER'S TERRACE GRASS

A careful study of the requirements for making the most substantial turf for Putting Greens developed the mixture herewith offered by us for this purpose, and we are quite sure that no other combination will prove as satisfactory. The varieties comprising it are all of the finest-bladed, low-growing and most hardy kinds, and maintain their rich, green color throughout the season. It forms a thick turf and withstands much hard usage. Per qt., 35 cts., postpaid. By express or freight (at purchaser's expense), per qt., 30 cts.; 4 qts., \$1.00; peck, \$1.75; bushel (25 lbs.), \$7.00.

We furnish other Grass Seed Mixtures, all of which are described in a **Special Booklet on Lawn Making**, which also tells how to make and care for Lawns. A copy will be mailed free to all applicants.

## THE "DREER" LAWN GRASS

This is by far the best mixture of grasses offered for the purpose of quickly producing a permanent lawn. It is prepared from our own formula, and is a careful blending of varieties adapted to producing the thick growth and velvety appearance so much sought after. Each variety of Grass in its composition is there for a special purpose; some for making strong, fibrous roots, which take hold upon the soil and keep the turf in place, others of a creeping nature quickly fill up any bare spots which may be caused by the taller sort's dying down; varieties which are useful for their color value, and also kinds that are able to withstand the beating down of excessive rains. Per qt., 30 cts. postpaid. By express or freight (at purchaser's expense), qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bushel (20 lbs.), \$5.00.



## DREER'S SHADY PLACE GRASS

Usually it is quite difficult to obtain a satisfactory growth of grass under trees and in shady places. For sowing in such places we recommend the use of this special mixture. It will quickly produce an abundant and even growth of beautiful green grass. The grasses used in making this special mixture are only those that are well adapted for growing in shade, and as it blends well with our regular Lawn Grass Mixtures, it may be used on those portions of the lawn which are shaded by trees, buildings, etc., thus covering the whole area with a rich green sward. Per qt., 30 cts., postpaid. By express or freight (at purchaser's expense), qt., 25 cts.; 4 qts., 75 cts.; peck, \$1.25; bushel (20 lbs.), \$5.00.



# Henry A. Dreer

Seeds, Plants, Bulbs and Horticultural Supplies  
714 and 716 CHESTNUT STREET, Phila.